Engineering Record

Building Record and Sanitary Engineer

Volume 74

July-December, 1916

LIBRARY
UNIVERSITY OF ILLINOIS
URBANA

McGraw Publishing Company Inc.
239 West 39th Street
New York

U OF I
LIBRARY

Index to Volume 74

July-December, 1916

GENERAL INDEX

A

- Aberthaw Construction Co., vibration in factory building, effects of, e 337, a 355
- Abrams, D. A., wear of concrete in roads, a 50
- Abutments anr piers (see bridges, abutments and piers)
- Accident prevention, is state insurance? l 420
- Accounting for the contractor (See Contracts and Contractors, accounting)
- Acher, Capt. A. H.: Chute carried by derrick easily shifted in five minutes, h *722
- Acker, C. D.: Forms of old barrels lower cost for concrete footings, h *752
- Aeroplane (see aviation)
- African 16-ft. rock road cost $5,500 per mile, a 354
- Alaska mineral output increases, n 435
- Alaska, progress on railroads, n 754
- Alling, A. R.: Information wanted on turnouts for concrete roads, l 688
- Alvord & Burdick, report on flood control problems of Illinois River, a 16
- American Association for the Advancement of Science, concrete road develops three cracks in a year, a 87
- American Association of State Highway Officials' convention at St. Louis, n 783
- American Chemical Society:
  - Aeration suggested for disposal of sludge, a 448
  - nitrogen recovery from sewage sludge commercially practicable, e 428, a 444
  - periods of filter service increased 250 per cent., paper by J. W. Ellms and S. J. Hauser, a *643
  - reaeration important in self-purification of streams, a 617
  - sludge dewatering big by-product problem, e 428, a 445
- American Concrete Institute:
  - February convention at Chicago, n 603
  - management improved, e 607
- American Highway Association:
  - guessing at road costs, e 757
  - part-time road boss, e 787
- American Institute of Consulting Engineers, committee recommends subsurface pump house for New York City, e 95
- American International Corporation: Annual report, e 728, 753
- American International Terminal Company, incorporated, n 122
- American Iron and Steel Institute, pig-iron production in 1915, n 173
- American Public Health Association:
  - nomenclature in sewerage and sewage disposal, e 548
  - preparedness defined at annual meeting, e 217
  - refuse collection and disposal methods reviewed, a 585
  - sanitary code for waterways formulated, e 578, a 582
  - sewage works, skilled operation of urged, a 582
  - small sewage plants predominate, 662
  - street cleaning, no health menace in, e 549
  - water sterilization. radical advances, n 573
  - worms, mud-dwelling, suggest sludge-disposal possibilities, e 578
- American Railway Association, daylight saving reports, n 633
- American Railway Engineering Association:
  - committee assignments, e 217, a 223
  - nominees announced, n 784
  - tile drainage, how to get best results, a 704
- American Road Builders' Association:
  - convention, n 514
  - officers elected, n 604
- American Society for Testing Materials:
  - annual convention, abstracts of papers delivered, a *48, 59
  - cement specifications:
    - changes in, e 65
    - explanation of new requirements. By R. J. Wig, 71
    - new, e 34
  - concrete, quality in, e 33
  - convention at Atlantic City, 28
  - elastic limit:
    - new method for determining proposed, 331
    - steel, e 97
  - revised standards adopted, n 423
  - specifications, fir bridge timbers, a *70
  - standard to be printed year in advance, e 65
  - yield point in steel, significance of, e 126
  - yield points and proportional limits for steel, relation between, a 78
- American Society of Civil Engineers:
  - activated sludge process, committee appointed, 91
  - annual convention at Pittsburgh, 27
  - annual meeting Jan. 17, n 725
  - automatic schedule for convention, e 697, n 724
  - change of headquarters, e 1, 27, e 427
    - co-operation evident in decision, e 3
    - necessitate adding stories to Engineering Societies' Building, * 412
  - city planning discussed, e 727
  - detailed information required from candidates, e 667, *673
  - George's opportunity, l 688
  - nominees for offices to be presented at January meeting, n 574
  - Philadelphia association adopts minute commemorative of Dr. Corthell, n 121
  - President Herschel's address, e 1, a 9
  - San Francisco Association of Members, proposed meeting for young engineers, e 187
  - standardization of structural details proposed, e 249
- American Society of Mechanical Engineers:
  - journal contains human interest, e 337
  - Dr. D. S. Jacobus, retiring president, says teach students fundamental principles, a 739
  - opinion of members on publication, e 698
- American Society for Municipal Improvements:
  - annual meeting:
    - disgrace to engineering profession, e 489
    - mismanagement of sewage treatment session, e 517
    - program too crowded, e 398, e 428, e 488
    - tumult reigns as paving specifications are adopted, 513
  - convention in Richmond, n 784
  - ideal of the organization, e 217
  - progress being made in adoption of standard units for reporting municipal work, e 547
  - standard forms prepared for traffic-count data, a *621
  - standard traffic forms unsuitable. By Daniel B. Goodsell, *748
  - standard unit for municipal work recommended by A. Prescott Solwell, e 3
- American Waterworks Association:
  - Illinois and Iowa sections:
    - meeting, n 275, n 455, n 513
    - public utility commissions should regulate, not operate, corporations. By Leonard Metcalf, 588
  - Minnesota branch organized, n 754
  - results of questionnaire on underground water hydrant, e 1
  - use of waterworks land, e 33
- Arches:
  - concrete has masonry facing, *327
  - concrete rib supported while section is cut out, *225
  - concrete support roof of Chicago Hebrew Institute, *257
  - forms knocked down by cutting wires that hold T-posts. 212
  - Queens Boulevard extension of New York elevated railway, *254
  - three-hinged and curved cantilever trusses, Chicago municipal pier, *140
- Arizona, plant roadway across desert sands, *131
- Arizona Highway Commission, roads take oil better when surface is wet, a 584
- Armour & Co., activated-sludge process adapted to treatment of stock-yards wastes, 137
- Army reorganization and the Army Officers' Reserve, e 35
- Arrowrock dam, regulation of water, a 409
- Asbestos sheathing protects steel bridge, *656
- Asphalt industry prospered in 1915, n 224
- Associated Business Papers, Future of the Technical and Trade Press, by James H. McGraw, 554
- Associated Engineering Societies of Seattle formed, n 784
- Association of Creosoting Companies of the Pacific Coast, perforating ties before creosoting increases penetration, n 332
- Athens, Ga.: Reservoir capacity increased and cost of dam decreased by hydraulic sluicing, *712
- Atchison, Topeka & Santa Fe Railway, pounding prevented in 100-ft. turntable, *390
- Atlanta, Ga.:
  - passenger terminals may be replaced with one, *746
  - inlaid tile used in arch, *799
- Atlanta, Birmingham & Atlantic Railroad:
  - tentative valuations, n 575, e 579, a 598
  - protest against tentative valuation reports, e 729, a 735
- Atlas Portland Cement Company, ultra-violet ray purifies water at cement plant, *200
- Australia:
  - corrosion of steel pipe 12 years old, e 488, a 501
  - water commission formed, n 214
- Automobiles:
  - averages 700 miles a month in Boston water department, n 402
  - extra outside rims help, h *721
  - fees in 1915, n 176
  - increased road construction caused by extended use, n 392
  - maintenance cost lowered, n 765
  - mileage as basis for depreciation. By Asa E. Phillips, *733
  - operate for less than 5 cents a mile, n 597
  - prohibition in Bermuda to be modified, n 266
  - speed suppressors in roads needed, l 600
- Aviation, photographs from aeroplanes for reconnaissance, n 586

B

- Baguio Railway: Estimated and actual cost of, l 539
- Baird, Howard C.: Eccentric loading on columns, l *510
- Baldwin Locomotive Works: Construction record claimed for concrete factory, *162
- Baltimore & Ohio Railroad:
  - grade crossings, clear view of right-of-way, e 247
  - lumber in condemned cars resawed, n 378
  - pneumatic placing saves space in concreting retaining wall. By D. S. Studdiford, h 181
- Barber Asphalt Paving Company establishes fellowship for asphaltic research, n 454
- Barbour, F. A.: Leakage from pipe joints warrants investigation, a 385
- Barnes, Alfred A.: Hydraulic flow reviewed, correction, l 420
- Bars (see concrete, reinforcing)
- Bartow, Edward: Electrolytic sewage treatment little better than lime alone, e 577, *596
- Bay State Street Railway: Original cost estimates, accuracy doubted by commission, e 338, a 342
- Bayonne, N. J., recommends $7,000,000 water terminal, n 633
- Beams:
  - deflections obtained by means of level bar, a *222
  - deflection of arbitration bar measured. By H. L. Morse, a *50
  - gypsum reinforced for roof decks cast at site and hoisted to place. By Wharton Clay, *776
  - repaired in concrete building, *538
  - timber trusses substituted for, in Seattle shed, *626
  - straighten out under own weight when hung over fire, h *362
  - tests and common theories, e 159
  - test webs of I-beams, a 179
- Bear Lake, Idaho:
  - construction camp houses, h *120
  - pumping station, *68
- Bell, C. F.: How can drawings be protected against dampness? l 570
- Belmont, N. C.: Bridges destroyed over Catawba River, *152
- Bennett, Charles J.:
  - joints in concrete roads laid late in season, l 539
  - uniformity possible in motor-truck legislation? l 809
- Bennett, Ralph: More proof of need for supervision of dams, *357
- Berkeley, Cal., campanile completed, *627
- Bessemer & Lake Erie Railroad:
  - blacksmith shop ventilated by blower system, *318
  - grade reduction near Culmerville, Pa., *14
- Beyer, Walter F.: Economical precast stairway design, Panama Canal lighthouse, *139
- Bigelow, Edward M.: Obituary, 756
- Bilger, H. E.:
  - harrowing highly important in gravel roads, a 79
  - recommends extra right-of-way at sharp curves, a 77
- Binckley, George S.: Topping trees with dynamite, l 479

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

ER v.74

- Binks, N. T.: Plumbers or sanitary engineers? l 270
- Black, W. M.:
  - examinations for corps of engineers not severe, l 210
  - how engineers can best serve in the Mexico emergency, l 55
- Blanchard, Prof. A. H.: Motor truck legislation problem, 742
- Blasting (see explosives)
- Blocks, wood (see timber)
- Blood, Henry: Derrick breaks and drops section of boiler stack, *507
- Blueprinting paper rejuvenated with peroxide. By R. L. Longshore, l 359
- Blume, O.: New harbor basin at Copenhagen formed by long caissons floated to place, *207
- Bogue, Virgil, obituary, *516
- Bohemia dam fails, n 393
- Boise & Arrowrock Railroad for sale, n 334
- Bond issues, advice on handling campaign, e 547
- Books Reviewed:
  - American Roads. Author, James T. Tucker, 87
  - American Sewerage Practice, Vol. III—Sewage Disposal. Authors, Leonard Metcalf and Harrison P. Eddy, 778
  - Bridge Engineering. Author, J. A. L. Waddell, 417
  - Cambria Steel Handbook. Author, George E. Thackray, 269
  - Centrifugal Pumps and Suction Dredgers. Author, E. W. Sargeant, 568
  - Construction of Roads and Pavements. Author, T. R. Agg, 418
  - Earth Crushers, Retaining Walls and Bins. Author, William Chain, 88
  - Final Report on Construction of Los Angeles Aqueduct, 629
  - Highway Engineers' Handbook. Authors, Wilson G. Harger and Edmund A. Bonney, 300
  - Hydraulics. Author, R. L. Daugherty, 116
  - Laboratory Manual of Bituminous Materials for Highway Use. Author, Prevost Hubbard, 778
  - Masonry Jobs Designed. Authors, Dr. Chas. E. Morrison and Orin L. Brodie, 88
  - Mechanical Engineer's Handbook. Editor, Lionel S. Marks, 209
  - Municipal Engineering Practice. Author, A. Prescott Folwell, 777
  - Passenger Terminals and Trains. Author, John A. Droege, 778
  - Planning of the Modern City. Author, Nelson P. Lewis, 478
  - Practical Cost-Keeping for Contractors. Author, Frank R. Walker, 629
  - Practical Design of Steel-Framed Sheds. Author, Albert S. Spencer, 268
  - Principles of Depreciation. Author, Earle A. Saliers, 88
  - Stability of Arches. Author, Ernest H. Sprague, 478
  - Stresses in Structures. Author, A. H. Heller, 568
  - Structural Timber Handbook on Pacific Coast Woods. Author, O. P. M. Goss, 268
  - Theory and Practice of Modern Framed Structures. Authors, J. B. Johnson, C. W. Bryan, and F. E. Turneaure, 209
  - Text-Book of Practical Hydraulics. Author, James Park, 629
  - Transportation Rates and Their Regulation. Author, Harry Gunnison Brown, 568
  - Value for Rate Making. Author, Henry Floy, 116
  - Waterworks Handbook. Authors, A. D. Flinn, R. S. Weston, and C. L. Bogert, 300
- Boston Elevated Railway: Hearing on revenue requirements, e 637
- Boston, Mass.:
  - columns in theater avoided by 106-ft. truss, *287
  - fire-service plans proposed, a 438
  - Roxbury school building failure caused by faulty brick piers, a *294
  - "South Station Under" has ample traffic facilities. By William W. Lewis, *800
  - water gates easily located, n 404
- Boston Society of Civil Engineers: River measurements most reliable basis for water power predictions, a 103
- Bowman, Croft & Company: Investments for engineers, l 23
- Bowser, J. T.:
  - gage measures rail wear on sharp curves, *555
  - Queen & Crescent improves drainage of roadbed, *625
- Bragg, J. G.: Large columns of carbon and alloy steel fail, *19
- Branne, J. S.: Eccentric loading on columns, l 419
- Breed, H. Eltinge: Reply to criticism of New York roads, 654
- Brick and tile production in 1915, l 210
- Bridges:
  - abandon construction due to high cost of steel, n 303
- Bridges (continued)
  - accidents. Bascule survives blow from steamer, *229
  - Allegheny hearing postponed, n 303
  - approaches, concrete, light, prevent bumps, n 505
  - arch:
    - designed to eliminate rim in oil reservoirs. By Henry B. Post, *353
    - Luten reinforcement patent invalid, n 366
    - masonry facing on reinforced-concrete, *327
    - Thacher patent declared invalid, n 423
    - theory and tests presented for design of sand boxes to lower centers. By Frank P. McKibben, *530
  - asbestos sheathing protects, *656
  - Asheville, N. C., holds despite high water, *167
  - asphalt covering for trestles, n 585
  - barrel pontoon cost $75, *741
  - bascule, at Port Arthur, Tex., repaired, *719
  - bascule:
    - highway in California, *647
    - survives blow from steamer, *229
  - Brooklyn-Brighton opened, n 454
  - cast-iron rocker shoes, l *750
  - column tests, *19
  - concrete:
    - arch structure at Calgary, Canada. By John F. Greene, *205
    - Bensalem Avenue bridge design. By Jonathan Jones, *504
    - Cleveland, 90th St., design, *190
  - plant required to complete 4000-ft. railroad bridge is small, e 337, *340
    - replaces old iron bridge at Memphis, Tenn. By J. H. Weatherford, *464
  - construction:
    - aggregate handled by four-wheeled scraper, h *622
    - arch span assembled in horizontal position and raised by tackle, *580
    - beams straightened under own weight when hung over fire, h *362
    - caissons launched from submerging pontoon. By A. Frederickson, h *150
    - cheap devices eliminate costly centering, *52
    - concrete arch forms hung from girders, h *720
    - Detroit-Superior, Cleveland, material distributed by motor trucks, *347
    - economy effected by special plant layout on Brooklyn-Brighton viaduct, *11
    - interstate bridge, Portland, Ore., substructure completed, *36
    - Lawrence, Mass., built from four separate mixing plants. By E. K. Cortright, *415
    - leads bolted to floor to drive falsework. By T. V. Garnes, h 212
    - methods to float and hoist center span of Quebec, *372
    - motor trucks distribute materials, *347
    - New London, timber-incased concrete caisson to be sunk, *737
    - new members and larger pins placed in draw-span, *675
    - Paducah & Illinois, derrick on barge with distributing tower, h *58
    - Quebec central span to be placed, *273
    - San Francisco-Oakland proposed, 29
    - Thames River at New London, mixer boat, h *752
    - viaduct 170 ft. high erected without falsework, *618
  - cut to allow dredge to pass, n 605, n 664
  - deck trusses changed for 100-ft. girders between trains, h 512
  - design:
    - approaches of Bloor Street Viaduct of concrete-covered steel frames. By W. F. B. Rubidge, *714
    - arch centers lowered. By Frank P. McKibben, *530
    - arch recommended for Galveston causeway, n 753
    - Bensalem Avenue, Philadelphia, governed by architectural requirements. By Jonathan Jones, *504
    - cantilever beams of arch form, Hopper Street viaduct, Cincinnati. By Edgar K. Ruth, *381
    - cast-iron rocker shoes successful, l 688
    - Cleveland, 90th Street, e 217
    - Cleveland, steel spans and concrete arches combined, *190
    - compression members inadequate. By E. F. Kelley, l 508
    - construction girder and temporary columns for grade crossing, *680
    - displacement theory applied to analysis of suspension. By C. S. Whitney, *234
    - domed arch construction, New York City elevated railway, *254
    - fire menace in wooden floors, e 487
    - girders act as railing, *707
    - gusset plates, diagram facilities detailing, *806
    - historical mission style emphasized. By John F. Greene, *205
- Bridges, design (continued)
    - influence lines as deflection diagrams. By D. B. Steinman, e 637, *648
    - inlaid tile in arch span of Park bridge, *799
    - Quebec bridge discussed, *432
    - safe, depends on validity of assumptions underlying theoretical analysis, a 506
    - sand boxes to lower arch centers, l 630, l 779
    - steel struts designed to eliminate falsework in erection, *618
    - stress distributed unequally to rivets of a joint, a 651
    - unsymmetrical sections, properties of, computed, *682
    - timber trusses substituted for I-beams in Seattle sheds, *626
    - destruction difficult. By Albert M. Wolf, l 269
  - Detroit-Superior, concrete arch rib supported while section is cut, *225
  - expenditure by U. S. Office of Public Roads, 1915, a 466
  - failure:
    - Cabin Creek, W. Va., n *244
    - Carolina and Virginia, 121
    - Catawba River, N. C., *152
    - Cleveland, O., n 454, *483
    - columns of poor concrete cause, e 577, *597
    - Decatur, Ind. By R. L. Longshore, l *240
    - falsework of steel truss undermined by Snogualmie River, n 633
    - quality of concrete and engineering supervision, l 688
    - Quebec:
      - analysis of, *363
      - casting of rocker-joint bearing responsible for, *370
      - cause of, e 368, e 517
      - cause of initial failure, *432
      - discussed and success of rebuilding assured, e 338
      - cause of. By W. K. Palmer, l 480
      - evidence complete, e 429
      - falls while being hoisted, *363
    - reinforced-concrete at Moscow, N. Y., l 22
    - St. Charles, Mo., wrecked by fire, n 453, *477
    - Tucson, Ariz., *122
    - wind nearly wrecks highway bridge over Kankakee River, a *344
  - falsework lashed together with vines. By J. W. Swaren, *16
  - fire menace in wooden floors, e 487
  - foundations. Concrete piles support concrete superstructure of Hopper Street viaduct, Cincinnati. By Edgar K. Ruth, *381
  - manual for highway officials, e 789
  - Metropolis. Special details in erection reduce secondary stresses, e 757, *774
  - New Orleans, applications considered, n 334
  - piers, brick and hydrated lime, l 539
  - Quebec, placed, Sept. 11, n 333
  - replaced by girders on pile piers in 13 days, *170
  - San Francisco-Oakland plans discussed, n 275, n 409
  - Scherzer rolling-lift carries railway and highway traffic, n 170
  - semi-floating highway in California, *172
  - short-span standard adopted in Utah, a 175
  - specifications, Illinois discussed, a 687
  - St. Louis Municipal nears completion, n *455
  - substructure of steel caissons, *647
  - suspension, displacement theory applied to analysis. By C. S. Whitney, *234
  - timber mast in repairing bascule structure, *719
  - timber trusses substituted for 30-in. I-beams, *626
  - timber used exclusively on Wolf Creek pass in Colorado, *378
  - trestles, wood replaced by concrete. By John S. Ely, *329
  - trusses changed for girders without falsework. By C. L. Ketcham, h *422
  - truss, metal corroded. By J. H. Weatherford, *464
  - viaduct, columns of New York structure raised, *553
  - wrecking concrete difficult. By J. H. Weatherford, *132
- British Board of Trade: Regulation of trade, e 65
- Broadhurst, Wm. G.: How not to use oxyacetylene torch, h 149
- Brooklyn, N. Y.:
  - elevated railway structures, special details used in design, *82
  - granite block pavement replaces wood block, *51
  - paving economy in labor, e 65
- Brooklyn-Brighton Viaduct:
  - economy in erection increased, *11
  - unit stresses, correction, n 107
- Brooklyn Rapid Transit Company: Vitrified duct line moved with screw jacks. By W. M. Stieve, h *632
- Brown, Ralph P.: Device checks subgrade on concrete road construction, h *542
- Buffalo, N. Y.: Court construes pumping as stopping leaks, 713

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

376924

Buffum, F. D.: Foremen keep time and deductions on small scattered jobs, h *302
Buildings:
  Chicago municipal pier, *140
  concrete:
    Armour Grain Co. elevator at Chicago, *567
    Chinese build without mechanical equipment. By E. Park, *557
    falls ten feet without breaking, a 384
    flooded to save floors, n 116
    forms for ventilating ducts collapsed by pulling cord, h *722
    garage has cantilever floors, *803
    poured from roof to make repairs, h *57
    $67,000 less than steel, *766
    temporary studs aid in spacing steel for circular reservoir. By D. H. Mathias, h *781
    undamaged by fall, n *275
  construction:
    by-product coke ovens on Jersey meadows, *703
    canopies of precast units at Denver station, *447
    Chicago field museum, *250
    chute made cheaply of 2 x 4s and sheet iron, h *782
    concrete blocks built by home-made traveler, h *811
    concrete garage has cantilever floors, *803
    concrete placed by chute carried on "bicycle" arrangement, h *422
    conservation of materials necessary. By Virgil G. Marani, e 727, *745
    conveyor system used on Chicago & North Western grain elevator, *567
    gypsum T-beams cast at site and hoisted to place. By Wharton Clay, *776
    ramps on both sides of dumping platform save time, h *691
    record claimed for Philadelphia factory, *162
    record established on Detroit Ford plant, *430
    roof trusses coated with cement mortar by using shallow form. By R. C. Hardman, h 632
    cottonseed storage, special tile, *54
  design:
    cantilevers carry Pittsburgh building columns above tunnel, *322
    columns:
      and trusses support added stories in Engineering Societies Building, *412
      avoided by use of 106-ft. truss, e 277, *287
      eccentric loading discussed, formulas and table. By R. Fleming, e 277, *296
      eccentric loading, l 419, l *510
      hollow and roof ducts ventilate concrete structure, *658
      hollow reinforced-concrete for Ford plant, *620
    concrete car barn in Vancouver has steel columns, *584
    footings rest on concrete and sand piles, l *690
    maximum daylight and transportation facilities, *804
    reinforced-gypsum roof decks modern development. By Virgil G. Marani, e 727, *745
    roof supported by 200-ft. arches without tie rods, *442
    roof of Chicago Institute supported by long-span concrete arch, *257
    ship shed contains special trusses for vertical and horizontal crane loading, *550
    slab-and-beam floor without shear stirrups. By J. H. Byrd, *324, l *809
    special trusses in walls of Sun shipbuilding plant, *734
    steel girders and concrete struts for foundations of Philadelphia building, *259
  failure:
    Boston structure under repair collapses, n 573
    laxity of enforcing building code, e 277
    Roxbury School apparently caused by faulty brick piers, a *294
    Toledo, Ohio, n 393
  floor:
    slab-and-beam without shear stirrups. By J. H. Byrd, *324
    slabs cured under freezing conditions tested, *78
    longest span used in Chicago hospital. By J. Norman Jensen, *233
    waterproofed in concrete building, Troy, N. Y., *658
  form supports correctly designed with new tables, 586
  foundation:
    columns of Pittsburgh building carried above tunnel, *322
    mixers mounted on street wall to speed up work, h *601
    motor trucks used in excavation of basement for Pennsylvania Hotel in New York City, *267
    piles cut by portable motor-driven saw, h *571
    sectional forms used, h *182
    Springfield coliseum design, *442
Buildings, foundation (continued)
    steel girders and concrete struts for Philadelphia building, *259
    walls, brick, replaced with concrete piers. By H. L. Drake, h 241
  legislation:
    bill reported to House of Representatives, n 122
    New York restriction law passed, e 125, 153, e 158, *166
  move 1000-ton 32 miles, n *303
  move 2600-ton, n 482
  move 800-ton residence, *136
  Panama Exposition structure salvage readily marketed, *764
  piershed and warehouse proposed at Camden, N. J., *772
  roof trusses; diagram facilitates detailing of gusset plates, *806
  repair:
    beams and columns and cracked floors, *538
    damage caused by earthquakes, e 157
    elevated derrick removes cracked columns, h *241
    walls, brick, replaced with concrete piers. By H. L. Drake, h 241
  safety belts used in wrecking steel dome, *742
  slab in Chicago hospital, l 780
  "South Station Under," Boston rapid-transit system. By William W. Lewis, *800
  specifications, structural-steel work, proposed. By R. Fleming, e 698, 708
  steel sheds, temporary, to protect oven construction on Jersey meadows, *703
  ventilation of railway blacksmith shop, *318
  vibration, effects of, a 355, e 337
Bureau of Labor Statistics: Workmen's compensation laws upheld, e 158
Bureau of Railway Economics: Railway rates and wages, here and abroad, e 669
Bushnell, H. B.:
  belts for floating concrete should be waterproof, l 599
  belts used successfully in floating concrete roads, e 457, h *481
Butcher, W. L.: Inconsistencies shown in water and sewer laws, 284
Butts, W. M.: Estimated and actual cost of Baguio Railway, l 539
  handling Filipino labor one of problems in construction of Baguio Railroad, *351
Byers Company, A. M.: Etching test to determine steel in wrought-iron pipe, 110
Byrd, J. H.: Slab-and-beam floor without shear stirrups, *324, l *809

C

Cable, tension easily found, h 25
Carpenter, C. L.: Latin-American opportunities, l 22
Caissons rivaled by timber crib sunk in 34 days, *98
Calgary, Canada: Bridge designed as adornment to its location. By John F. Greene, *205
California:
  highway bond, $15,000,000, carried, n 633
  Highway Commission:
    accounts for $18,000,000, e 518, a 536
    appropriations, e 757
    asphaltic road oils heated quickly in retort, *297
    oil 18 miles in 24 days, n 256
    road-maintenance stations, *299
    sand dredged from river for highway, *265
    superelevation determined for highway curves, *293
  Imperial valley canal system improvement discussed, n *603
  irrigation:
    dam across Colorado River built in 7 days, n 215
    Kings River dam proposed, n 214
    Los Angeles County bridge, semi-floating, *172
  Ripon siphonic spillway construction, *743
    appropriations, e 757
  Sacramento County, bascule bridge for highway service, *647
  Santa Cruz, special mechanical devices needed at small wharves. By J. W. Swaren, *176
  shore protection, barbed wire helps build river embankments, *707
  state highways nearing completion, n 201
  Tulare County irrigation system, 132
Calvert, T. E.: Obituary, 786
Camden, N. J.: Combination of piershed and warehouse proposed, *772
Cameron, A.: Durability of concrete roads, e 578, l 600
Cameron septic patents expire. By George W. Fuller, 436
Campbell, H. Colin: Camera's use on engineering work worth learning, e 668, *670
Camps, construction at Bear Lake, Idaho, h *120
Canacao, P. I.: Falsework complicates setting of pins for large wireless tower, *84
Canadian Society of Engineers protests against employment of American engineer, e 369, 472, a 380, l 570
Canals:
  irrigation (see irrigation)
  waterways (see waterways)
Canfield, Edward, obituary, 276
Cannon, Sylvester Q.: Paving petitions—the right kind, l 630
Carmichael, J. T.: Justice to the contractor, l 509
Carpenter, H. S.:
  heavy smithing job done in open on bent crusher spindle, h *511
  permanently straighten drill rod, h 692
  winding cables on drive wheel converts tractor into hoist, h 391
Carrara, Nevada: Cableway railroad affords access to quarry, *355
Carter, Frank H.: Selecting economical type of riveted joint for steel pipes and standpipes, *467
Carter, Zenas W.: Accept bids nearest average, not lowest, l 240
Cedar Rapids, Iowa: Concrete pavement has inverted crown. By S. W. Greene, l *55
Cement:
  Chicago show, Feb. 7, n 455
  companies charged with forming trust, n 633
  gun makes monolithic reservoir without forms, h *512
  handled safely and cheaply on plank racks. By Harlan H. Edwards, h *421
  lime and cement. By R. M. Creamer, l 508
  mortar, prepared, cure for carelessness. By Norman G. Hough, l 508
  new specifications, e 34
  production decreases in 1915, n 140
  specification adopted by testing society, n 423
  specifications, new. By R. J. Wig, 71
  strength increased by addition of hydrated-lime, n 165
  tests by Vermilion County, Ill., 678
Central Railroad of New Jersey:
  low jetties for shore protection, *18
  valuation, no small task. By C. W. Stark, *168
Chadman, C. M.: Strength essential in concrete aggregate, a 49
Champaign, Ill.: Brick pavement relaid on wet concrete cushion, 676
Charleston, S. C.: Quick repair of dam saves water supply, 151
Charlotte, N. C.: Portable plant makes bituminous-pavement patches, *555
Chase, Frank D.: Licensing law for engineers and architects needs revision, l 180
Chattanooga & Tennessee River Power Co.: Modern turbines used to complete hydroelectric installation, *377
Chemists suggest quarters in Engineering Societies Building, e 427
Chesapeake & Ohio Railway:
  bridge damaged in West Virginia flood, 256
  bridge failures on Cabin Creek, W. Va., n *244
Chicago:
  Association of Commerce:
    prizes for engineers, e 427, n 424, n 814
    university professor's opinion on unit stresses in concrete structures, a 687
  building repaired by putting concrete mixer on roof, h *57
  car companies want less crown in pavements, a 172
  Cement Show to be held Feb. 7, n 455
  community activated-sludge plant for stockyards, n 784
  electrification of Illinois Central suburban service, n 783
  engineering employees ask increase in salary, e 699, n 723
  Field museum, sand sluiced around columns, *250
  Hebrew Institute roof supported by long-span concrete arch, *257
  lumber to use on different work defined, a 85
  municipal pier recreation building, *140
  newspapers protest against franchise devised by engineers, e 728
  paving methods can be improved, e 697, a 702
  Pennsylvania freight terminal, *594
  public-utility galleries opened, n 724
  Sanitary District, Chamber of Commerce, to assist in solving sewage problem, n 664
  sanitary district:
    activated-sludge plant to be built, n 695
    two million dollar additions to Lockport plant, n 725
    using too much water, n 754
  sewage treatment plants for lake cities, a 656
  skin-friction data on shaft sinking, 108
  stock-yards wastes treated by activated-sludge process, 137
  studying effects of zoning system, n 804
  track elevation on Chicago, Milwaukee & St. Paul, *75
  traction plan, e 757, *770

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

- Chicago (continued)
  - traction program, how financed, a 793
  - transit recommendations for $260,000,000 program, n 723
  - Union Station plans made public, *558
  - zoning under consideration, e 727
- Chicago & North Western Railway: Concrete grain elevator constructed at Chicago, *567
- Chicago, Burlington & Quincy Railroad: Metropolis bridge, special details in erection reduce secondary stresses, e 757, *774
- Chicago, Milwaukee & St. Paul Railway:
  - concrete train handles gravel from hopper cars on belt conveyors. By W. A. Kellner, h *421
  - construction work program shown graphically, h *89
  - electrification of Rocky Mountain division, *41
  - track elevation in Chicago, *75
- Chicago, Rock Island & Pacific Railway:
  - concrete cribbing found effective, *357
  - valuation of Chicago terminal zone presents many special problems: By C. W. Stark, e 397, *410
- Chief Consolidated Mining Co.: New record in mine-shaft work, 613
- Childs, O. W.: Time to abolish "yardage," l 540
- Chillicothe, Mo.: Mechanical filters, operation improved by special devices. By E. E. Harper, *320
- Chimneys, brick, strengthened by reinforced concrete. By Ernest McCullough, *173
- China:
  - men cheaper than machines on railway construction. By E. Park, *525
  - reinforced-concrete warehouses built without mechanical equipment. By E. Park, *557
  - will build about 1000 miles of railroad, n 453
- Chlorination at Camp Whitman, New York, n 100
- Cincinnati, Ohio:
  - grade crossing elimination, drainage drift stopped slides. By H. G. Wray, *144
  - Hopper Street viaduct built with cantilever beams of arch form. By Edgar K. Ruth, *381
  - water purification. Filter service increased 250 per cent., a *643
- Cincinnati, New Orleans & Texas Pacific Railway:
  - accident, publicity, e 188
  - wrecked bridge span 260 feet long replaced in 13 days by girders on pile piers, *170
- City Manager Association: Convention program charted, *711
- City planning (See Municipal government, city planning.)
- Clark, LeRoy W.: Cast-iron rocker shoes, l *750
- Clay, Wharton: Reinforced-gypsum T-beams for roof decks cast at site and hoisted to place, *776
- Cleveland, Ohio:
  - bridge failure, two killed, 30 hurt, n 454, *483
  - Brooklyn-Brighton viaduct, *11, n 454
    - unit stresses corrected, n 107
  - Detroit-Superior bridge:
    - concrete arch rib supported while section is cut out, *225
    - forms used 66 times. By Harold E. Ketchum, h *332
    - motor trucks distribute materials, *347
  - engineers on city planning commission, n 755
  - engineers to lay out motor-truck routes, n 785
  - filter plant, worthless concrete responsible for failure, *151
  - Ninetieth Street bridge, steel spans and concrete arches combined, *190, e 217
  - reservoir to be built inside old one that failed, *702
  - Richman Brothers, construction of concrete building, h *691
  - sewage testing station reports, 280
  - street railway flushes streets. By H. C. Ebeling, *45
  - tunnel being pushed to completion, n 275
  - tunnel explosion, 153, 183
- Cleveland & Youngstown Railroad, Ninetieth Street bridge, Cleveland, Ohio, *190
- Cleveland Engineering Society:
  - popular engineering magazine to be published, n 424
  - publicity work is excellent, e 337
- Cleveland Dock Engineering Company wins suit over patent, n 634
- Cluett, Peabody & Company, concrete building has hollow columns and waterproofed floors, *658
- Coal:
  - bituminous, mined in 1915, n 270
  - economies in use should be studied by American manufacturers, e 338
  - tar helps maintenance of metal flumes, a 622
- Coast protection (see shore protection)
- Coke production in 1915, 108
- Cofferdam:
  - derrick boats used inside without extra digging, *271
  - fill washed to place from barges by pump boat. By George W. McAlpin, h *391
  - flood gate, time to open determined, h *332
- Cofferdam (continued)
  - land driver used to place sheeting on Cape Fear River, h *362
  - outside template used repeatedly in building. By F. P. Kemon, h *391
  - pumping construed as stopping leaks, 713
  - steel, pocket type, successful for lock on Cape Fear River, *325
- Coleman, G. P.: Uniformity possible in motor-truck legislation? l 809
- College education, present day. By Austin H. Reeves, l 66
- Colorado:
  - convicts decrease since State went dry, e 547
  - roads, disintegrated gravel, best natural highway material. By W. W. DeBerard, *460
- Colorado River:
  - flood attributed to discharge of Gila River. By L. M. Lawson, *346
  - levees favored to control, a 679
- Columbia National Forest surveyed with camera, *102
- Columbus, Ohio:
  - flood controlled by "cat and kitten" holes in outlet dam, *162
  - inspect sewers by auto, n 693
  - sand catcher costs, 677
  - sewage treatment plant, n 115
- Columns:
  - and girders designed for subway to support office building, *113
  - avoided in first floor of Boston theatre by 106-ft. truss, *287
  - cracked, removed with elevated derrick, h *241
  - eccentric loading on, l *510
  - eccentric loading. By J. S. Branne and G. A. Maney, l 419
  - eccentric loading discussed, formulas and table. By R. Fleming, e 277, *296
  - Engineering Societies Building, support added stories, *412
  - fail near yield points of materials. By J. H. Griffith and J. G. Bragg, *19
  - failure:
    - poor concrete causes collapse of bridge, e 577, *597
  - Gazette-Telegraph Building, Pittsburgh, carried above tunnel, *322
  - flanges, outstanding, theoretical formula for strength of, substantiated by tests. By Raymond J. Roark, *592
  - hollow, reinforced-concrete, ventilate Ford plant, *620
  - hollow, ventilate concrete building at Troy, N. Y., *658
  - properties of unsymmetrical sections, *682, l 780
  - raise those of big New York viaduct, *553
  - repaired in concrete building, *538
  - steel used in concrete car barn in Vancouver, *584
  - strength of large size, e 3
- Combs, F. W.: Letter on hydrated lime, 765
- Concrete:
  - aggregate handled by four-wheeled scraper, h *662
  - bleachers protect San Francisco beach, *560
  - blocks built by home-made traveler, h *811
  - building bid $67,000 less than steel, *766
  - costs of Ripon siphonic spillway, California, *743
  - cracks:
    - developed in a year, a 87
    - studies to find cause of inroads. By William M. Kinney, 621
    - Winnipeg aqueduct repaired within original cost estimate, a *476
  - cribbing, found effective by Chicago, Rock Island & Pacific Railway, *357
  - deformation, strain gage has one-piece welded frame, *194
  - disintegrated by few fluids, a 470
  - dropped 660 feet into tunnel cars, h 601
  - failure of Cleveland filtration plant caused by poor mixture, *151
  - floor slab, longest used in Chicago hospital. By J. Norman Jensen, *233
  - forms:
    - aid in coating roof trusses with cement mortar. By R. C. Hardman, h 632
    - cantilever saves erection time on Yadkin River dam, h *631
    - cantilever saves tie rods on thick lock walls, h *511
    - collapsed by pulling cord, h *722
    - design of supports, new tables for, *586
    - failure stops subway traffic in New York, n 543
    - handrail used 66 times on large viaduct. By Harold E. Ketchum, h *332
    - highway arch hung from girder, h *720
    - laid on steel rails, *447
    - none used to make monolithic reservoir with cement gun, h *512
    - old barrels lower cost of footings. By C. D. Acker, h *752
    - sectional, used for foundation of Chicago building, h *182
    - test specimens, n 480
- Concrete, forms (continued)
    - wrecked by cutting wires that hold T-posts, h 212
  - grouting alternate holes reduces drilling time. By H. A. Rands, l *479
  - hardening, abnormally slow in small areas, l 539
  - hydrated lime letters which won prizes, 764
  - hydrated lime, prizes for best letter, n 455
  - lime and cement vs. cement. By R. M. Creamer, l 508
  - lining, cost of and ditch. By C. D. Conway, *806
  - manure protects in cold weather, n 718
  - masonry facing on arch, *327
  - paving statistics, n 12
  - poor mixture causes failure of bridge, e 577, *597
  - precast units for canopies of Denver Station, *447
  - quality, e 33
  - reinforcing:
    - bend both ends of bar at once. By Geo. W. Davidson, h *782
    - bent around disk by power machine made on job. By Harold E. Ketchum, h *301
    - blocks to support steel simply made, h *182
    - cleaned cheaply by double motor-driven brushes. By Harold E. Ketchum, h *272
    - diagram for bending up steel. By Karl D. Schwendener, *239
    - diagrams for cost of placing. By Dan Patch, *264
    - notched steel brackets aid placing for concrete reservoir. By E. W. Kelly, *312
    - clamped splices, strength of. By Ernest McCullough and E. L. Lasier, l 361
    - Luten patent invalid, n 366
    - prevents cracks in road, *643
  - resurfacing road, e 427, a 434
  - revetment economical on lower Mississippi River, a *614
  - ships, new method for building, l 779
  - specifications, new forms offered by C. M. Chadman, a 49
  - temporary studs aid in spacing. By D. H. Mathias, h *781
  - tennis courts plan issued by Portland Cement Association, *358
  - testing apparatus, *86
  - tests:
    - completed by U. S. Bureau of Standards, e 277
    - laboratory at Lewis Institute, 496
    - result of mortar and concrete reported by U. S. Bureau of Standards, a *283
    - under freezing conditions, *78, l 270
    - wear of roads, a 50
  - Thacher patent declared invalid, n 423
  - toys, e 787
  - wall fails at Madison, Wis., *343
  - water chief factor in making. By Nathan C. Johnson, *790, e 787
  - waterproofing compound, integral, favored for concrete subject to hydrostatic pressure, n 618
  - wood used instead, n 163
  - yardage should be abolished, l 540
- Concrete mixing:
  - boat has sand and gravel storage on decks, h *752
  - Chinese build warehouses without mechanical equipment. By E. Park, *557
  - chute made cheaply of 2 x 4s and sheet iron, h *782
  - chute carried by derrick easily shifted. By Capt. A. H. Acher, h *722
  - Detroit addition to Ford plant, *430
  - foundation work speeded up by mixers on street wall, h *601
  - grout mixer designed, *651
  - Lawrence, Mass., bridge built from four separate plants. By E. K. Cortright, *415
  - light-wood spouting plant saves on small remote job. By John A. Hamilton, h *692
  - motor hitched to steam mixer to cut running cost, h *392
  - motor truck hoists concrete. By Edmund G. Kinyon, h *722
  - plants:
    - illustrate modern methods, *197
    - layout on Brooklyn-Brighton viaduct, Cleveland, a 11
    - required for Cumberland Valley Railroad concrete bridge is small, e 337, *340
  - production doubled by improved arrangement, *164
  - ramps on both sides of dumping platform save time, h *691
  - release valve maintains pressure in highway water-supply line. By Harlan H. Edwards, h 691
  - Salt Lake City, Twin Lakes dam, *314
  - seasoning hastened by calcium chloride, a *266
  - tests described, n 275
  - tower on flat cars for coke ovens on Jersey meadows, *603
  - Welland Ship Canal, traveling concrete tower, *490
  - well points supply water in small plant, h *662

- Concrete placing:
  - belts for floating concrete on roads should be waterproof, l 599
  - "bicycle" carries chute around building floor, h *422
  - cold weather advice given by Portland Cement Association, a 319
  - conveyor, belt, deposits wet mixture in sewer form, h *571
  - conveyor system permits run of 1200 yards in 20 hours, *567
  - derricks, buckets, and skips used on Yadkin River hydroelectric project, *613
  - Duluth reservoir concreted during freezing weather. By E. W. Kelly, *312
  - mixer mounted on trucks paves street-railway tracks, h *392
  - monolithic pavements in Vermilion County, Ill. By Harlan H. Edwards, *400
  - motor trucks haul concrete at 40 yd. an hour on Detroit-Superior bridge, *347
  - Omaha water basin, *528
  - pneumatic, saves space in concreting retaining wall. By D. S. Studdiford, h 181
  - site an advantage in building dam in Maine, *280
  - tail spouting plant used on railroad bridge, *197
  - train handles gravel from hopper cars on belt conveyors. By W. A. Kellner, h *421
  - wet mixture dropped successfully 660 feet, h 601
  - winter, e 337
  - Youngstown, Ohio, reservoir construction, *407
- Conduit (see pipe)
- Congress passes $85,000,000 good roads bill, 42
- Contracts and contractors:
  - accounting:
    - agent's account, freight records. By Benjamin L. Lathrop, h *242
    - balance sheet. By Benjamin L. Lathrop, h 25
    - card index handy for checking prices on small items. By Benjamin L. Lathrop, h *272
    - comparison by keeping exact distribution on form, h *602
    - cost finding. By Benjamin L. Lathrop, h *211
    - cost of cost keeping cut by study of office force. By Dan Patch, h 58
    - depreciation and reserves. By Benjamin L. Lathrop, h 89
    - equipment account. By Benjamin L. Lathrop, h 57
    - field-office, pocket pads for timekeeping. By Benjamin L. Lathrop, h *150
    - foremen keep time and deductions on small scattered jobs. By F. D. Buffum, h *302
    - payroll. By Benjamin L. Lathrop, h *181
    - practical cost-keeping, 629
    - time clock saves office work on large job, h *720
  - arbitration vs. suits, e 95
  - average bid as basis for award of contract. By Ernest McCullough, l 331
  - axle or broken wheel truck, h *302
  - bid on concrete buildings $67,000 less than steel, *766
  - bids:
    - accept nearest the average and not the lowest. By Zenas W. Carter, l 240
    - fallacy of average in awarding contracts, e 218
    - lowest, e 33
  - brick refuse burner moved on barge without jacking, h *89
  - concrete placing in winter, warning against, a 319, e 337
  - construction methods in Russia changed, e 125
  - construction work program shown graphically, h *89
  - contract documents of U. S. Navy Department an important step forward, e 398
  - co-operation with engineer. By Albert M. Wolf, l 359
  - court construes pumping as stopping leaks, 713
  - dredging equipment should be chosen to fit conditions expected. By Arthur M. Shaw, e 728, *730
  - dredging, must keep in close personal touch with work. By Arthur M. Shaw, *802
  - efficient planning of work allows low bidding, e 337
  - friction between engineers and contractors. By J. L. Harrison, l 331
  - garbage disposal problems solved by successful bidder, n 603
  - justice to the contractor. By H. G. Shirley, l 180, l 509
  - last year's contracts costly, e 787
  - legal matters, accident prevention through instruction, e 248
  - legislation, commission exonerates contractor for poor workmanship, n 134
  - lowest bid, e 33
  - lump sum not favored by Texas society, n 573
  - men trained to fill positions above them in dredge crew. By Arthur M. Shaw, *767
  - methods on Welland Ship Canal, *490
  - Navy Department to call conference, n 755
  - reservoir wall form handled by light traveler, h *90
- Contracts and contractors (continued)
  - road bids drop 40 per cent., n 171
  - road material bases located to help bid, n 300
  - scrapers dumped through bridge over wagons. By Albert S. Fry, h *90
  - specifications:
    - overhaul should take into account type of equipment. By G. B. Massey, 148
    - should be definite. By R. M. Stamper, l 270
    - Portland, Ore., issues loose-leaf forms for city work, 352
  - tower and derrick on same boat. By A. Frederickson, h *58
  - transferring equipment. By Benjamin L. Lathrop, h 119
  - winter work brings contracts, h 661
  - yardage, time to abolish, l 540
- Convention, members' names on badge, e 95
- Convict labor on roads not always economical, n 51
- Conway, C. D.: New ditch excavated in bank of old one, *806
- Co-operation, engineering, e 3
- Copeland, William R.: Sewage disinfection, l 359
- Copenhagen, Denmark: New harbor basin at, formed by long caissons floated to place. By O. Blume, *207
- Cortelyou, Frank M.: Substructure of interstate bridge over Columbia River at Portland, Ore., *36
- Corthell, Elmer Lawrence, commemorative minute adopted, n 121
- Cortright, E. K.: Central bridge at Lawrence built from four separate mixing plants, *415
- Council of National Defense:
  - established, e 429
  - advisory commission named, n 514
- Coulter, Waldo S.: Double tank proposed for residential sewage plants, *298
- Cramp & Sons Ship & Engine Building Company design new steel ship shed, *550
- Craven, Alfred:
  - dinner on seventieth birthday, n 394
  - retires as chief engineer of New York subway, e 518, n *543
  - successor not yet appointed, e 698
- Creamer, R. M.: Lime and cement vs. cement, l 508
- Creosoting (see timber, creosoting)
- Cribs:
  - concrete found effective in place of retaining walls, *357
  - timber and concrete accurately placed for Vancouver wharf. By R. Mackay Fripp, *111
  - timber at Bear Lake, Utah, *98
- Croton watershed (N. Y.) area corrected, a 441
- Crowdus, N. Y.: Inspectors on city work should be salaried, 84
- Crownover, C. E.: Every possible precaution to make watertight Keechelus reservoir, Washington, *474, *534
- Cuba, 600-ft. head produces 2000-hp., *674
- Cumberland Valley Railroad bridge at Harrisburg, Pa., requires small plant layout, e 337, *340

D

- Dabney, T. G.: Speed suppressors needed to curb automobiles, l 600
- Dallas, Tex.:
  - engineering department forms library club, n 560
  - barrel pontoon footbridge costs $75, *741
- Dams:
  - Adirondacks, proposal for expenditure of $6,500,000, n 723
  - arched gravity to be built at Lower Otay, San Diego, Cal., *195
  - Arrowrock, regulation of water, a 409
  - California, Kings River, proposes to raise water level 300 ft., n 214
  - check, controversy over problem, e 157
  - Colorado River:
    - built in 7 days, n 215
    - Hanlon's Heading, must remove by Nov. 1, n 303
  - construction:
    - cost decreased by hydraulic sluicing, *712
    - cost of Ripon siphonic spillway, California, *743
    - hurters suspended from timbers in concreting foundation. By Karl H. Schriver, h *631
    - material at hand used in concrete structure, *280
    - watertight for large structure at Youngstown, Ohio, *407
    - watertightness feature of design and construction at Keechelus. By C. E. Crownover, *474, *534
  - design, earthfill-concrete-spillway type, Youngstown, Ohio, *407
  - Elephant Butte dedicated, *484, 545
  - failure:
    - Bohemia, n 393
- Dams, failure (continued)
    - design of California structure violated four established principles. By Ralph Bennett, 357
    - discussed by Nathan C. Johnson, *790
    - Lake Toxaway undermined by seepage. By W. N. Willis, *273
    - Lake Toxaway, N. C., n 243, e 247
    - seepage through earth dike causes 25-ft. gap, n *544
    - wooden, wrecked when foundation scours, l *541
  - flood discharges controlled by "cat and kitten" holes, *162
  - grouting alternate holes reduces drilling time. By H. A. Rands, l *479
  - hydraulic fill:
    - Calaveras, 240 ft. high. By G. A. Elliott, *220
    - hydraulic method of construction with minimum cost labor and equipment in Arizona. By Cyril Wigmore, *328
  - Kentucky River completed, n 466
  - legislation:
    - bill passed by House of Representatives, n 122
    - power bill deferred, n 304
  - low-head on sand bottom near Boelus, Neb., *716
  - macadam road built to construct, *237
  - movable on New York Barge Canal, *522
  - Pennsylvania, n 690
  - rockfill, upstream face sealed with sliding concrete apron, *260
  - Salt Lake City water supply increased by arched rubble, *314
  - silt removal from ditches at Laguna, a 406
  - steel sheeting driven cheaply under water with two rigs. By George W. McAlpin, h *751
  - supervision, more proof of need for. By Ralph Bennett, 357
  - Yadkin River project, e 607, *610
    - cantilever form saves erection time, h *631
- Davidson, Geo. W.: Bend both ends of bar at once, h *782
- Davidson, William C.: Four construction and thirteen maintenance gangs care for McLennan County's roads, *177
- Davis, R. E.: Planetable facilitates making station maps, e 667, 674
- Daylight saving, American Railway Association committee reports on, n 632
- Dayton, Ohio: Flood prevention plans of Miami District sustained, e 667, 673
- DeBerard, W. W.: Disintegrated gravel best natural highway material in Colorado, *460
- Decatur, Ill: Results of electrolytic lime treatment. By Edward Bartow, e 577, *596
- Delaware, Lackawanna & Western Railroad:
  - crossings eliminated by special construction methods to maintain traffic, *680
  - forms for arch hung from girders, h *720
- Dent, E. J.: High velocity in large hydraulic dredges, l 117
- Denver, Colorado:
  - hogs as waste consumers, e 125, *135
  - water supply:
    - copper-sulphate treatment facilitated by outriggers and pulleys, *644
    - moss removed from Marston Lake by wire rope, *317
- Desmond, Thomas C.: Co-ordinated America demands participation of engineers, 497
- Detroit Engineering Society: Program diversified, 697
- Detroit, Michigan: Ford factory construction sets new record, *430
- Dewell, Henry D.: Wooden dam fails when foundation scours, l *541
- Docks (see wharves and docks)
- Douglas, Dr. James, gives $100,000 for technical library, e 639, *663
- Douglas fir, specifications for bridge timbers, 2, *70
- Dowdell, Marc P.: Public speaking made part of engineering course, 196
- Downer's Grove, Ill.: Operating costs at small pumping plant, *201
- Doyle, E. J.: Cheap devices used in reconstructing truss bridges eliminates costly centering, *52
- Drafting cost kept on card system, 502
- Dragline (see excavation machinery)
- Drainage (see reclamation)
- Drake, H. L.: Brick walls under mill building replaced in sections, h 241
- Drawings:
  - color in crayon fixed. By Thomas A. Hayden, 164
  - how protected against dampness? l 570
- Dredges (see excavation)
- Drill rod permanently straightened. By H. S. Carpenter, h 692
- Dubuque, Iowa: Excavation for reservoir discloses treasure, n 141
- Duncan, D. B. Warehouse footings rest on concrete and sand piles, l *690
- Dynamite (see explosives)

E

- Earthquakes, preparedness in California, e 157
- Ebeling, H. C.: Cleveland street railway flushes city streets, *45
- Edmonton, Canada: Pipe in sewage tank perforated for air distribution, 660
- Education, European war's light on, e 248
- Educational institutions:
  - demand for graduates. By Frank T. McKibben, l 55
  - engineers must learn to sell their ability, a 85
  - England, co-operative engineering education, e 608
  - Graduates in engineering hold to profession, *194
  - public speaking made part of engineering course at Swarthmore College. By Marc P. Dowdell, 196
  - report on those in Iowa, e 607
  - university extension service does engineering-promotion work, n 566
  - Wentworth Institute offers course in practical concrete, n 275
- Edwards, Thomas H.: Motor truck lessens cost of maintaining gravel road in Alabama, *73
- Edwards, Harlan H.:
  - brick laid directly on concrete base in monolithic pavements, Vermilion County, Ill., $400
  - drum on rear axle of concrete mixer pulls template, h *721
  - handle cement safely and cheaply on plank racks in road work, h *421
  - release valve maintains pressure in highway water-supply line, h 691
  - rock ballast for industrial track pays on road work, h *451
- Edwards, Edward A.: Our trade in British eyes, l 240
- Eichleay, John P.: Raise tank 50 ft. on cribbing tied together with plank, h *632
- Eiffert, C. H.: Gage to measure rail wear, l *779
- Elastic limit of steel, e 97
- Electric railway (see railroads, electric)
- Electrolytic-Sanitation Company, inspection of plant at Decatur, Ill., n 455
- Elephant Butte Dam:
  - dedicated Oct. 19, n 545
  - reservoir to serve 233 years, a 349
- Elephant Butte Water Users' Association, co-operative land selling, e 189
- Elizabeth, N. J.: New members and larger pins placed in drawspan, *675
- Elliott, G. A.: Three million yards being pumped to build Calaveras dam, 240 ft. high, by hydraulic method, *220
- Ely, John S.: Pipe trestles of wood replaced by concrete, *329
- Emerson, Guy C.: Who shall select types of city pavements? l 541
- Engineering:
  - combined with business courses at University of Iowa, 108
  - contracts, arbitration vs. suits, e 95
  - co-operative education in England, e 608
  - cost recorded by card system, 502
  - European powers carefully studying problems of economic recuperation, e 126
  - European war, e 96
  - ideas appropriated by manufacturers, e 95
  - instruction, public speaking made part of. By Marc P. Dowdell, 196
  - laws of chance adapted to studies, e 219
  - limitations of exact science, e 368
  - South American opportunities, 110
  - unity, e 427
- Engineering Record:
  - Christmas greetings, e 757
  - criticism of, e 578
  - New England Waterworks Association issue, e 307
  - reduction in page size, e 577, e 787
  - U. S. Post Office appropriation bill, effect of, e 758
- Engineering societies:
  - advertising, e 698
  - co-operating with scientists, e 367
  - co-operation between, e 487
  - journal of American Society of Mechanical Engineers contains human interest, e 337
  - program of meetings should be reasonable, e 488
  - publications need human touch, e 337
  - watching would decrease number of swindlers, e 517
- Engineering Societies' Building, alteration started, n 304
- Engineering Standards Committee: British standardization aids industry, e 457, a 469
- Engineers:
  - active part in national and local politics should be taken by. By Thomas C. Desmond, 497
  - administer $18,000,000 budget, Panama-Pacific Exposition, e 187
  - advice from laymen, e 337
  - advice to young, a 744

Engineers (continued)

  - American for Canadian work, e 369, 472, l 570
  - army reorganization and engineer officers' reserve, e 35
    - By Dr. Frank Crane, 515
  - Canadians object to choice of American, a 380
  - charge should be worth their time, e 547
  - Chicago newspapers protest against franchise plan of engineers, e 728
  - confessions of how completed job could have been improved, e 697
  - contributing to technical journals urged, e 458
  - criticised for failure to appreciate financial aspect, e 727
  - consulting, non-resident, objection to employment of, e 218
  - co-operation in collecting data, e 307
  - co-operation with scientists, e 367
  - employees of Chicago ask salary increase, e 699, n 723
  - experiences on small jobs valuable, e 637
  - graduates hold to profession, *194
  - high-price men in demand, e 487
  - ideas stolen. By Daniel B. Luten, l 210
  - interest in political economy, e 96
  - lawmaking, relation to, e 218
  - Latin American, what they may expect. By V. L. Havens, l 179
  - must write, e 247
  - officers' reserve corps planned, 59
  - participate in civic affairs, but first be a good engineer, e 397
  - participation in civic affairs, e 34
  - personal advertising, a 434
  - prizes offered by Chicago Association of Commerce, n 424, e 427
  - profession would profit by analyses of adopted plans, e 697
  - professional unity, e 459
  - prominent place after the war n 784
  - reminiscenses of, e 33
  - right-of-entry act. By E. G. Kastenhuber, Jr., l 118
    - By W. D. Sell, l 180
  - sanitary or plumbers, e 157
    - By N. T. Binks, l 270
  - students should be taught fundamental principles, a 739
  - replies from the New York Bureau of Municipal Information, e 307
  - resident on drainage work must take pictures, n 256
  - selling their ability, a 85
  - serve best by joining national guards. By W. M. Black, l 55
  - speakers, timid, hint for, e 248
  - tribute to, on completion of project, e 307
  - writing about their work, e 637
  - write to congressmen regarding appropriation for Bureau of Standards, e 637
  - warned against swindlers, e 517
  - women's vote, e 518
  - young, special meeting proposed for, e 187
- Engineers and the new nationalism:
  - By A. C. Humphreys, l 118
  - By Robert W. Hunt, l 118
  - By Frances A. Kellor, e 3, 12
  - By Spencer Miller, l 118
  - By D. Robert Yarnall, l 210
- Engineers' Club of Dayton, Ohio: Building, new, proposed, 121
- Engineers' Club of Philadelphia:
  - engineer's interest in political economy, e 96
  - journal enlarged, n 153
- Engineers' Society of Western Pennsylvania: Subway report submitted, n 121
- England:
  - damages for extraordinary traffic, e 757
  - government fosters application of scientific research to industrial problems, a 683
  - government ownership of railroads, e 548
  - Ministry of Munitions, e 729
  - standardization aids industry, e 457, a 469
  - tunnel beneath English Channel awaits British Parliament's consent, e 638, a *645
- Entler, E. C.: Powerful pipe wrench dismantles large-diameter line, h *601
- Erie, Pa.:
  - celebrates beginning of flood control work, n 213
  - filter plant has low operating cost, n 239
  - flood prevention, e 187
  - flood prevention just started. By Farley Gannett, n 236
- Everett, Wash.: Brick refuse burner moved on barge, h *89
- Excavation:
  - center-cut method avoids vertical side face on New York's subway, e 759, *760
  - ditch excavated in bank of old one. By C. D. Conway, *806
  - drainage canals, Little River district in Missouri, *174

Excavation (continued)

  - dredges:
    - contractor must keep in close personal touch with work. By Arthur M. Shaw, *802
    - equipment should be chosen to fit conditions expected. By Arthur M. Shaw, e 728, *730
    - how wide can floating dredges dig? By Fred H. Tibbetts, l *360
    - hydraulic, large high velocity. By E. J. Dent, l 117
    - men trained to fill positions above them in dredge crew. By Arthur M. Shaw, *767
    - sand from river for road work in California, *265
    - Welland Ship Canal, *493
  - hydraulic unsafe in Cleveland because of quicksand, n 423
  - hydraulic method used in construction on Manila Railroad, P. I., *351
  - scrapers dumped through bridge over wagon. By Albert S. Fry, h *90
  - tunnel under Lake Union at Seattle presents difficulties, *795
  - turntable dump saves time of motor trucks, *765
  - yardage should be abolished, l 540
- Excavation Machinery:
  - backfiller pulls sheet piles, h *811
  - cranes excavate spillway foundation for dam at Youngstown, Ohio, *407
  - dredge makes trip from Baltimore to San Francisco, n 272
  - electric power to dredge relocated river channel. By J. H. Walter, *587
  - floating dredges, how wide a canal can they dig? By Fred H. Tibbetts, l *360
  - gasoline tractor developed in power ditching. By Frank C. Perkins, *134
  - overhaul should take into account the type of equipment. By G. B. Massey, 148
  - revolving shovel used at gravel plant on Hudson River, *345
  - shovel, steam, used in New York subway, h *149
  - traveler moving in two directions builds channel improvement. By J. H. Weatherford, h *242
- Explosion in coal mine prevented by dusting, n 103
- Explosives:
  - dynamite:
    - topping trees. By George S. Binckley, l 479
    - topping trees, h 392
    - wrecking Panama-Pacific Exposition, *203
  - lime used to blast old foundations between running machines, h 691
  - production in 1915, n 138
- Export trade (see foreign relations)

F

- Falsework lashed together with vines on Java Bridge: By J. W. Swaren, *16
- Federal Bureau of Education: Report on educational institutions in Iowa, e 607
- Filters (see water purification)
- Finneran, George H.: Emergency water-service gangs, a 386
- Fire hazard in frozen pipes, e 727
- Fire located by finder, 749
- Fisher, Edwin A.: Recommend steel pipe for Rochester, N. Y., a 40
- Fitchburg, Mass.:
  - cost comparison of sewage treatment, a 557
  - reports on operation of sewage works, a 565
- Fleming, D. H.: Drawknife pulled by hoist digs tough clay in shaft bottom, h *481
- Fleming, R.:
  - eccentric loading on columns, *296
  - proposes complete specifications for structural-steel work of buildings, e 698, 708
- Flood prevention:
  - Columbus, Ohio, "cat and kitten" holes in outlet of dam, *162
  - control by check dams, e 157
  - Erie, Pa.:
    - celebrates beginning of work, e 187, n 213
    - started: By Farley Gannett, 236
  - Levees favored to control lower Colorado River, a 679
  - Miami plans sustained, e 667, 673
  - quick repair of embankment at Pomona, Cal., n 39
  - Sacramento River levees, progress, n 240
  - St. Louis, $8,000,000 industrial development, a 773
  - supreme court grants Mississippi River Commission right to levee stream, a 10
- Floods and storms:
  - Alabama and Mississippi pictorially described, *143
  - Asheville, N. C., bridge holds, *167
  - bridge damage heavy in West Virginia, 256
  - bridge over Kankakee River nearly overturned by wind, a *344
  - Cabin Creek, W. Va., n *244
  - Carolina and Virginia suffer $12,000,000 damage, 121
  - Charleston, S. C., damage to earth dam, 151

Floods and storms (continued)
  Colorado River attributed to discharge of Gila River: By L. M. Lawson, *346
  Holland's overflowed lands unwatered after flood, n 343
  Missouri bridges and railroad track carried away, n 276
  southern states, July 5, 91
  Texas hurricane kills three, $2,000,000 loss, n 275
  Virginia and Carolinas, bridges destroyed over Catawba River, n *152
Ford Motor Company, addition to Detroit plant sets new building record, *430
Ford, R. H.: Soil-bearing tests determined loading on Chicago track-elevation work, *652
Forest (see timber)
Foreign relations:
  British government fosters application of scientific research to industrial problems, a 683
  British standardization aids industry, e 457, a 469
  Clayton bill side-tracked, e 277
  development of foreign trade, meaning to engineer: By F. Lavis, 659
  engineering opportunities in Europe after the war: By Robert K. Tomlin, Jr., e 307, *310
  Europe may need our lumber, n 291
  trade after the war, e 157
  motor trucks exported since outbreak of war reach $90,000,000, n 384
  United States trade in British eyes: By Edward A. Edwards, l 240
  War's light on technical education, e 248
  Webb bill hearings begun, n 153
Forms (see concrete)
Formulas, necessity of knowing arithmetic, e 248
Fostoria, Ohio: Concrete pavement develops cracks, a 87
Foundations:
  base of gravity retaining walls, formulas for width: By T. A. Smith, *564
  bridge, pile piers support girders to replace wrecked bridge, *170
  bridge, Portland, Ore., finished, *36
  building, sectional forms used in Chicago, h *182
  concrete pile cost, Ripon, Cal., *743
  forms of old barrels lower cost. by C. D. Acker, h *752
  hurters suspended from timbers in concreting dam: By Karl H. Schriver, h *631
  see piles
  soil-bearing tests determined loading on Chicago track-elevation work: By R. H. Ford, *652
  warehouse footings rest on concrete and sand piles, l *690
Fowler, Charles Evan: American engineers for Canadian work, l 570
Francis, A. C.:
  build concrete-slab cover for 19-mile ditch, *718
  build track on top of pipe to remove muck from tunnel, h *662
  wells protected from flood damage by wedges, *773
Frederickson, A.:
  Bridge caissons launched from submerging pontoon, h *150
  tower and derrick on same boat, h *58
Fries, Amos A.: Manufacturers should tell what parts wear out first, e 397, l 419
Fripp, R. Mackay: Concrete and timber cribs accurately placed for Vancouver wharf, *111
Fry, Albert S.: Wheel scrapers dumped through bridge over wagons, h *90
Fuller, George W.: Cameron septic patents expire, 436

G

Gaging stations (see stream measurements)
Galloway, J. D.: Is utility regulation on the right basis? e 548, 561
Galveston, Tex.: Design recommended for causeway, n 753
Gannett, Farley:
  Arbitration by engineers saves time and money, 107
  million-dollar project will remove flood menace at Erie, Pa., 236
Garbage (see refuse disposal)
Garnes, T. V.: Leads bolted to cantilevered floor steel to drive falsework, h 212
Gas companies not opposed to heat-unit standard, l 690
Gasoline:
  output grows, n 534
  vapor in sewers, e 96
Gates:
  automatic drainage in California, *47
  bronze-on-bronze friction in, tested: By D. C. Henny, 330
  comparison of three types of lock, a 46
  flood, time to open determined, h *332
  lateral for different size canals on West Okanogan Irrigation project, *642
Gates (continued)
  location made easy in Boston, n 404
  lock of mitering pipe at Chemulpo, Korea, *685
  outlets at Arrowrock Dam, a 409
  Panama Canal, corrosion, a 681
  tide and dikes help control New Jersey mosquitoes, a *449
General Electric Company makes sewer system conform to that of Schenectady: By Paul G. Koch, 206
Georgia highway bill passed by House and Senate, n 243
Gilkey, Herbert J.: Steam shovel breaks up concrete base with drop hammer, h 812
Girders:
  act as railing in overhead crossing, *707
  built-up, test of, a 179
  replace deck trusses between trains, h 512
  replaced 260-ft. bridge span, *170
  replace trusses without falsework: By C. L. Ketcham, h *422
  steel, and concrete struts, for foundations of Philadelphia building, *259
Godard, Valentine: Letter on hydrated lime, 764
Goethals, George W.:
  annual report reviews history of slides and answers criticism of work, a 650
  annual report on Panama Canal, a 681
  heads 8-hour railroad board, e 457, n 483
  Panama canal tolls, n 813
Goldbeck, A. E.: Apparatus for determining soil pressures, *48
Goldmark, Henry: Tidal lock with special safety devices for dock at Chemulpo, Korea, *684
Goodrich, E. P.: Paving petitions—the right kind, l 570
Goodsell, Daniel B.: Changes suggested in traffic-census forms, *748
Grade crossing (see railroads)
Gravel-screening bin has high salvage value, h *542
Green, P. E.:
  adjustable trowel triples finishing progress on concrete curb, h *812
  brick pavement on 2-in. mortar base laid for $1.45½ per square yard, *797
Greene, John F.: Mission bridge in Canadian Northwest designed as adornment, *205
Greene, S. W.: Concrete pavement has inverted crown, l *55
Griffith, J. H.: Large columns of carbon and alloy steel fail, *19
Grouting:
  alternate holes reduce drilling time: By H. A. Rands, l *479
  brick pavement, *798
  cracks of old brick pavements, l 779
  leaner mixture suggested, n 112
  mixer designed by city engineer, *651
  monolithic pavements in Vermilion County, Ill.: By Harlan H. Edwards, *400
  Ripogenus dam, l 570
Gypsum:
  reinforced roof decks modern development, l 810
  reinforced roof decks modern development in structural field. By Virgil G. Marani, e 727, *745
  T-beams cast at site and hoisted to place. By Wharton Clay, *776

H

Hall, A.: Deck trusses changed for 100-foot girders between trains, h 512
Hall, W. R. D.: Motor truck legislation problem, 742
Hamilton, John A.: Light-wood spouting plant saves on small remote job, h *692
Hanover, Pa.: Arbitration by engineers saves time and money. By Farley Gannett, 107
Hansen, Paul: Urges education of public to need of health laws, a 77
Harbors (see waterways)
Hardman, R. C.: Shallow form as aid in coating roof trusses with cement mortar, h 632
Harisberger, John: Solids a problem at power plants in Northwest, *290
Harper, E. E.: Special devices installed to improve operation of new mechanical filters, *320
Harris, Van Allen: Latin-American opportunities, l 22
Harrison, J. L.: Justice to the contractor, l 331
Harvard University: President Lowell's address at dedication, a 13
Hauling: Overhaul specifications should take into account type of equipment. By G. B. Massey, 148
Haupt, Lewis M.: Brush-and-stone jetties prove effective, l 117
Havens, V. L.: What engineers may expect in Latin America, l 179
Hayden, Thomas A.:
  color in crayon drawings fixed, 164
  how to make a good impression with a rubber stamp, n 349
Henderson, C. E.:
  sewer system without manholes or records, l 599
  roots grow rapidly in sewer, l *688
Henny, D. C.: Bronze-on-bronze friction in sluice gates tested, 330, l 420
Herschel, Clemens:
  address before American Society of Civil Engineers, e 1
  biography, *27
  stream flow, not rainfall, best criterion for yield, a 103
  urges creation of national public works bureau, a 9
Hetch Hetchy plan announced, 29
Heuperman, L. F.: His work done, e 307, l 330
Hicks, H. L.: 30-ft. horizontal test boring made with hand-hammer drill, h 212
Hillberg, A. G.:
  Bazin vs. Ganguillet and Kutter, *494
  hydraulic flow reviewed, correction, l 420
  surge-tank problems solved by new methods, *763
Hinckley, G. C.: Will electric welding supplant riveting in fabricating structural steel? 524
Hines, Edward N.: Motor truck legislation problem, 742
Hirst, A. R.: Motor truck legislation problem, 742
Hogs: eat Denver's garbage, *135
Hoisting Machinery:
  boom buckles under load, n *334
  crane unloads stone and hauls scraper to spread it, h *692
  derrick:
    and gallows frame, with inverted hammers, pull 75-ft. sheet piling, e 607, *627
    breaks and drops section of boiler stack. By Henry Blood, *507
    chair takes superintendent with broken leg to work, h *572
  timber mast used in repairing bascule bridge, *719
  tractor converted by winding cables on drive wheel. By H. S. Carpenter, h 391
  tremie float and driver rigged, h *451
  windlass replaces tripod and derrick for pipe laying, h *542
Holland: Unwatering overflowed lands, n 343
Homansville, Utah: New record in mine-shaft work, 613
Hope, Ark.: Popularizing water department, n *785
Hotchkiss, Chas. W.: Obituary, 575
Hough, Norman G.: Prepared mortar as cure for present carelessness, l 508
House weighing 1450 tons moved 80 ft, h *26
Howes, F. T.:
  instructions to pilot engineers on federal valuation, l 239
  to facilitate laying out sharp railroad curves, 718
Humphreys, A. C.: Engineers and the new nationalism, l 118
Hunt, Robert W.: Engineers and the new nationalism, l 118
Huntington, L. N.: Latin-American opportunities, l 22
Hyde, W. H.: Tubing wound on reel without detaching, h 572
Hydrated lime and faulty brick piers, l 539
Hydrated Lime Bureau: Prepared mortar cure for present carelessness, l 508
Hydroelectric (see water power)
Hydrographic instruments: Profiles of river and harbor beds, * 109

I

Iceland, Reykjavik, first hydroelectric plant, n 541
Illinois:
  bridge specifications discussed, a 687
  Joliet water power site purchased by Sanitary District of Chicago, n 213
  Stockland Township builds monolithic brick road on 1-in. base, *708
  Vermilion County office machinery for spending $1,500,000 road bond issue, *678
Illinois Central Railroad:
  Chicago terminal problem, n 393
  electrification plan presented, n 783
  road bond issue, $60,000,000, n 814
  terminal plans presented, *404
Illinois River: Study of flood-control problem, a 16
Illinois State Highway Commission:
  bridge manual, e 789
  curves, extra right-of-way recommended, a 77
  earth roads, directions for dragging, n 469
  examination of highway engineers under new ruling, n 784
  gravel road, harrowing highly important, a 79
  pictures in organization chart, n 744
Imhoff, Dr. Karl: Separate sludge digestion improves Imhoff tank operation, *101
Imperial Valley Irrigation District:
  acquires deeds to California and Mexico irrigation system, 92
  banks above and below Hanlon Heading must be protected, n 514

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

Imperial Valley Irrigation District (continued)
  dam built across Colorado River in 7 days, n 215
  improvement discussed, n *603
Indianapolis, Ind.: Girders act as railing in Arlington Avenue bridge, *707
Industrial conditions:
  British government fosters application of scientific research, a 683
  human consideration and trade promotion, e 758
  research on public problems urged, e 547, a 552
  inventory for mobilization, 12
  inventory by engineers of national defense measure. By Robert K. Tomlin, Jr., *128
  research important. Appropriations for Bureau of Standards urged, e 639
Insurance:
  state, accident prevention? By John Price Jackson, l 420
  typhoid and accident, e 277
Intakes (see water supply and sewerage systems)
International Irrigation Congress:
  dedication of Elephant Butte Dam, *484, 545
  program arranged, n 455
Interstate Commerce Commission:
  control of water transportation suggested, n 755
  how field parties are handled in valuation work. By C. W. Stark, *105
  tentative valuation report of Atlanta, Birmingham & Atlanta and Texas Midland, e 579, a 598
  valuation division, what doing and how work handled, *43
Investments for Engineers: By Bowman, Croft & Company, l 23
Irrigation:
  Australian water commission formed, n 214
  Bear Lake, Utah-Idaho, *68
  California
    dam to raise water level 300 ft., n 214, n 813
    dams in Colorado River must be removed, n 303
    Imperial Valley canal improvements, n *603
    Lindsay-Strathmore has 37 wells, 132
    San Joaquin valley project, n 813
  ditch excavated in bank of old one. By C. D. Conway, *806
  Los Angeles uses aqueduct water, 154
  Keechelus reservoir, Wash., watertight construction feature of design. By C. E. Crownover, *474, *534
  problems discussed at El Paso, n 545
  settlers assisted in New South Wales, 112
  Shoshone project report on condition of settlers, e 458, a 463
  stoplog barrier regulates Romanov Canal. By Louis Ross, *114
  tripod used to swing ram on pipe-laying job, h *691
  U. S. Reclamation Service, high cost, e 66
  West Okanogan system in Washington completed in a year. By J. C. Stevens, e 637, *640
Iron ore production in 1915, n 42

J

Jackson, John Price: Is state insurance accident prevention? l 420
Jacobus, Dr. D. S.: Teach engineering students fundamental principles, a 739
James, E. W.: Distribution of traffic on rectangular system of roads analyzed, *439
Jarrett-Chambers Company: Utah Power & Light Company, Bear Lake pumping station, *98
Jensen, J. Norman: Longest span slab in Chicago hospital, *233, l 780
Johnson, A. N.: Joints in concrete roads laid late in season, l 569
Johnson, Carl O.: Sheet-pile structures made watertight, h 391
Johnson, Clarence T.: Pioneer in water-right laws, l 359
Johnson, Nathan C.:
  camera on engineering work, l *750
  water chief factor in making good concrete, *790, e 787
Joints:
  riveted, economical type for steel pipes and standpipes. By Frank H. Carter, *467
  stress distributed unequally to rivets, a 651
Jones, Barton M.: Higher unit stresses for pipe, and computation of water-hammer pressure advocated, 794
Jones, Jonathan: Design of Bensalem Avenue bridge governed by architectural requirements, *504

K

Kastenhuber, E. G., Jr.: Engineers' right-of-entry act, l 118
Kelley, E. F.:
  inadequate compression members, l 508
  cast-iron rocker shoes successful, l *688
Kellner, W. A.: Mixer train handles gravel from hopper cars on belt conveyors, h *421
Kellor, Frances A.: Engineers and the new nationalism, 12
Kelly, E. W.: Notched steel brackets aid placing of hoop reinforcement, *312
Kemon, F. P.: Outside template used repeatedly in building steel cofferdams, h *391
Keokuk lock gates compared with those at Panama and Louisville, a 46
Ketcham, C. L.: Trusses changed for girders without falsework, h *422
Ketchum, Harold E.:
  double motor-driven brushes clean reinforcing cheaply, h *272
  forms for handrail on large viaduct used 66 times, h *332
  power machine made on job bends reinforcing bars, h *301
Kies, W. S.: Outlines engineering opportunities in Europe, e 307, *310
Killick, Victor W.: Locomotive raised from harbor by jacks mounted on scows, h *452
Kingman, Dan C.: Obituary, *664
Kinney, William M.: Begin studies to find cause of concrete-road cracks, 621
King, S. B.: Manufacturers should tell what parts wear out first, l 569
King, W. E.: Make compression tests of electric conduits, *200
Kinyon, Edmund G.: Motor truck hoists concrete, h *722
Kirchhoff, Charles W. H.: Obitnaury, 155
Kirkpatrick, R. Z.: Surges for 16 miles from Pedro Miguel lockages, *591
Knouse, Homer V.:
  exact distribution kept in form for comparing final costs, h *602
  water basin for Omaha constructed by day labor, *527
Koch, Paul G.: Difficult construction in sewer changes, 206

L

Labor:
  cheaper than machines in China: By E. Park, *525
  compensation laws upheld, e 158
  disputes in public service utilities, settlement proposed by commission, e 668
  European war's effects on, e 399
  National Industrial Conference Board formed for solution of problems, e 638
  solution of problem leading topic in England and United States, e 399
  strikes:
    law formulated to prevent, 473
    New York sympathetic, e 427
  vote not landed in Democratic column, e 607
Lake Toxaway, N. C., dam failure, e 247
Lasier, E. L.:
  clamped splices tested for concrete reinforcement, a 48
  strength of clamped splices in reinforcement bars, l 361
Lathrop, Benjamin L.:
  field-office accounting:
    agent's account, freight records, h *242
    balance sheet, h 25
  card index handy for checking prices on small items, h *272
    depreciation and reserves, h 89
    equipment account, h 57, h 119
    finding costs, h *211
    payroll, h *181
    pocket pads for timekeeping, h *150
Latin American Corporation formed, 92
Latin American opportunities:
  By C. L. Carpenter, l 22
  By L. M. Huntington, l 22
  By Van Alen Harris, l 22
Lavis, F.:
  estimated and actual cost of Baguie Railway, l 539
  what development of foreign trade means to engineer, 659
Lawrence, Mass.: Central bridge built from four separate mixing plants. By E. K. Cortright, *415
Lawson, L. M.: Colorado River conditions unprecedented, *346
Lea, Samuel H.: Portable plant makes bituminous-pavement patches, *555
Legal matters:
  building restriction law passed in New York City, e 158
  Cleveland company wins suit over concrete dock patent, n 634
  compensation laws upheld, e 158
  eight-hour law unconstitutional, n 693
  engineers' "right-of-entry" act. By W. D. Sell, l 180
  health laws, public needs education in, a 77
  lawmaker, invading realm of, e 218
  liability, is state insurance accident prevention? e 248
  licensing law for engineers and architects needs revision. By Frank D. Chase, l 180
  motor truck legislation uniformity possible: e 699
Legal matters (continued)
  Oregon water law upheld by supreme court, e 2
  patent of Ira H. Jewell invalid, e 577, a 583
  Post Office appropriation bill, e 758, e 788
  power dam bill deferred, n 304
  railroads sue to test 8-hour law, n 633
  riparian rights settled by arbitration after suit. By Frank P. McKibben, 323
  Staten Island, suit for $100,000 in garbage fight, n 394
  typhoid fever "accident"? e 277
  uniform law to prevent strikes wanted, n 633
  utility regulation on a right basis? e 548, 561
  water and sewer laws, inconsistencies in. By C. A. Emerson, Jr., l 420
    By W. L. Butcher, 284
  water-power legislation deferred, e 367
  water-right laws in western states. By Clarence T. Johnston, l 359
  Webb bill, e 727
  legislation problem discussed by highway engineers, a 741
Lewis, Nelson P.:
  motor truck legislation problem, a 741
  uniformity possible in motor truck legislation? l 809
Lewis, William W.: "South Station Under" of Boston rapid-transit system has ample traffic facilities, *800
Lidgerwood Manufacturing Co.: Derricks used on Yadkin River power project, l *689
Lime:
  hydrated, letters which won prizes in contest, 764
  old foundations blasted between running machines, h 691
Lincoln Highway:
  Nevada "mud flats" avoided, n 557
  expenditure on for 1916, n 808
Locomotive:
  assembled from odds and ends. By R. R. Riemenschneider, h *119
  raised from harbor by jacks mounted on scows. By Victor W. Killick, h *452
Longshore, R. L.:
  blueprint paper can be rejuvenated with peroxide, l 359
  crushed-stone roads cost $3,500 to $4,500 per mile, *449
  small bridge "repaired" by local officials fails, l *240
Los Angeles: Irrigation, aqueduct water used, 154
Louisiana State Board of Health tests local water in laboratory on wheels. By J. H. O'Neill, *319
Louisville lock gates compared with those at Panama and Keokuk, a 46
Lowell, President A. Lawrence, of Harvard University. Dedication of new Technology, a 13
Lumber:
  city engineer defines quality to use, a 85
  cut of central states in 1915, n 102
  see timber
Luten, Daniel B.: Larceny, l 210
Luten patent invalid, n 366

M

Madison, Wis.: Reservoir wall fails when backfill is removed, *343
Maney, G. A.: Eccentric loading on columns, l 419
Manganese ore production, n 85
Manila Railroad:
  handling Filipino labor problem in construction of Baguio Railroad. By W. M. Butts, *351
  Philippine government purchases, n 362
Mann, C. R.: Results of canvass of engineers on rating of qualifications for success, a 10
Manufacturers appropriate engineers' ideas, e 95
Manufacturers should tell what parts wear out first, 569
  By Amos A. Fries, e 397, l 419
  By J. P. Stone, l 479
Maps:
  highway, pocket size, issued by New York, n 356
  planetable facilitates making for valuation. By R. E. Davis, e 667, 674
  subsurface systematized in Washington. By Asa E. Phillips, *262
  topographic, made of 1,237,520 sq. mi., a 777
Marani, Virgil G.: Reinforced-gypsum roof decks modern development in structural field, e 727, *745, l 810
Marlborough, N. Y.: Giant revolving shovel used at gravel plant, *345
Marlborough, Mass.: Observatory on stand pipe, n 45
Martin, George E.: Old roads maintained with roller and scarifier, 556
Masonry facing on reinforced-concrete arch, *327
Massachusetts Federation of Planning Boards:
  example might well be followed by other states, e 517
  road resistance tested by motor-truck runs, a 768

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

Massachusetts Institute of Technology:
  Latin-American engineering opportunities, 110
  President Lowell's address at dedication, a 13
Massachusetts Public Service Commission: Bay State Railway decision, e 338, a 342
Massey, C. F., Company: Improved arrangement doubles production of plant, *164
Massey, G. B.: Excavating machines and overhaul, 148
Mathematics: Necessity of knowing arithmetic, e 248
Mathias, D. H.: Temporary studs aid in spacing steel for circular reservoir, h *781
McAdam, Jr., D. J.: Endurance and impact of types of metals tested, a *49
McAlpin, George W.:
  ordinary valve used as shock absorber in pump discharge, h 572
  pump boat washes cofferdam fill to place from barges, h *391
  steel sheeting driven cheaply under water with two rigs, h *751
  swinging leads on derrick boat rigged for rapid driving, h *25
McClenahan, W. T.: Equipment for testing water meters quickly in field, *315
McCullough, Ernest:
  Average bid as basis for award of contract, l 331
  brick chimney strengthened by reinforced concrete, *173
  strength of clamped splices in reinforcement bars, l 361
McDaniel, A. B.: Test concrete cured under freezing conditions, l 270
McGraw, James H.: Future of the technical and trade press, 554
McGraw Publishing Company; Payment of regular salaries to employees in national guard, e 1
McKibben, Frank P.:
  design of sand boxes to lower arch centers, l 630
  riparian rights settled by arbitration after suit, 323
  theory and tests presented for design of sand boxes to lower arch centers, *530
  unprecedented demand for men, l 55
McNeilly, Robert H.: Worn macadam road repaired by tar spraying, *281
Memphis, Tenn.: Concrete bridge difficult to destroy. By J. H. Weatherford, *132
Metals, endurance and impact strengths tested. By D. J. McAdam, Jr., a *49
Metcalf, Leonard: Public utility commissions should regulate, not operate, corporations, 588
Meters (see water supply)
Metropolis, Ill: Special details in erection reduce secondary stresses in bridge, e 757, *774
Miami Conservancy District:
  flood prevention plans sustained, e 667, 673
  hearing begun, n 454
Michigan: Wayne County. Scarcity of pebbles forces concrete road change, n 705
Miles, Eugene C.: Gas companies not opposed to heat-unit standard, l 690
Military engineering:
  in Europe, e 96
  range finding an engineering problem, e 249
Military preparedness, e 96
  Twenty-second Corps of Engineers at Camp Whitman. By Robert K. Tomlin, Jr., e 2, *4
Miller, Hugh: Uniformity coefficient a misnomer, l 599
Miller, Spencer: Engineers and the new nationalism, l 118
Milwaukee, Wis.:
  double-deck sewer work performed from five mounted platforms, *227
  city-planning engineer recommended, n 694
Mine tailings used to construct earth filled dam in Arizona. By Cyril Wigmore, *328
Mining: Experiment and safety stations selected, n 180
Minnesota conservation department to be created, n 544
Mississippi River Commission: Right to levee Mississippi, a 10
Missouri: Little River Drainage District. Improper inlets damage drainage ditches, *226
Missouri, Kansas & Texas Railway: San Antonio terminal under way. By D. A. Tomlinson, *473
Moberly, Mo.: Removal of dust lessens quantity of oil needed for dirt roads, n 21
Montgomery County, Ala.: Motor truck lessens cost of maintaining gravel roads. By Thomas H. Edwards, *73
Moon, V. S.: Data and samples of borings in New York City, l 22
Moore, Lewis E.: To compute properties of unsymmetrical sections, l 780
Morris, Lester H.: Plow handle tamper and lengthy floats finish concrete road, h *751
Morse, H. L.: New apparatus for measuring deflection of arbitration bar, a *50
Moscow, N. Y.: Failure of concrete bridge, l 22
Motor Trucks:
  army using 150 at San Antonio, 629
  asbestos lining holds heat in asphalt, h 602
  cheaper than teams or railroad for hauling cement to inaccessible work at Ripogenus, Maine, *237
  Cleveland engineers to lay out route, n 785
  collect manure and waste bedding for 1300 horses, n 202
  competes with railroads, 100
  decreased cost of maintaining gravel roads in Alabama. By Thomas H. Edwards, *73
  distribute materials on Cleveland bridge building job, *347
  England, damages for extraordinary traffic, e 757
  experiment on construction work, no longer, e 398
  export since outbreak of war values $90,000,000, n 384
  fees, manufacturers object to, n 813
  furnishes hot oil for small jobs, h *752
  Geodetic Survey party adopts, n 687
  grader hauled by, h 482
  handled easily and loaded with steam shovels in New York City, *267
  hoist concrete. By Edmund G. Kinyon, h *722
  industrial trains hauled on road jobs, h *181
  legislation discussed at Albany, n 663
  legislation, uninformity possible? e 699, l 809
  Lincoln Park, Chicago, n 148
  long loads handled in Milwaukee, h *241
  Mexican border experiences, e 457
  mileage as basis for computing depreciation. By Asa E. Phillips, *733
  oiled street mileage of St. Louis doubled, a 526
  regulation:
    conserve highways, e 519, a 536
    speed and weight, e 487, a *495
    weight, size and speed advocated in Michigan, a 595
  road resistance tested, a 768
  steel tires solve difficult haulage problem, *622
  stone transferred to train, to simplify road work, h *211
tractors:
    and trailers haul 136 tons of ore in 5½ days, *769
    converted into hoist. By H. S. Carpenter, 391
    developed in power ditching. By Frank C. Perkins, *134
    used in European war, e 367
  traffic increase, e 247
  turntable dump on Pittsburgh building, *765
  used as tractor to haul engine on semi-trailer, h *720
  waste collection in Chicago, 496
  trailers, 23
    boiler loaded for 130 mile trip in Rockies. By George S. Young, h *481
    flat-car with flanged wheels, h *511
Municipal government:
  arbitration by engineers. By Farley Gannett, 107
  bond issues, advice for campaign, e 547
  city managers chart convention program, *711
  city planning:
    building regulations, New York City, 153, e 158, *166, a 405, e 487
    campaign, New York City, e 158
  Chicago considering, e 727, n 804
    engineer recommended by Milwaukee council, n 694
    engineers on Cleveland commission, n 755
    Massachusetts federation of planning boards, e 517
    Nelson P. Lewis talks to American Society of Civil Engineers, e 727
    Santa Barbara uses photograph from aeroplanes, n 586
  scope of Washington board enlarged, n 545
  competent engineer assured before women approved bond issue, e 518
  contracts:
    accept bids nearest average. By Zenas W. Carter, l 240
    fallacy of awarding on average bid basis, e 218
  fire-service system plans proposed for Boston, a 438
  garbage disposal problems solved by contractor in San Francisco, n 603
  improvements, convincing the public that it is necessary, e 187
  inspection of engineering works by laymen inadvisable, e 607
  inspection trips by laymen, l 689
  inspectors should be salaried. By M. Y. Crowdus, 84
  insurance rates call for grading of cities, a 389
  New York City:
    Board of Standards and Appeals adopts rules, a 405
    park system, *147
    refuse disposal plant dispute, e 157
Municipal government (continued)
  pavement:
    selection of right type, e 35, 570, 630
    specifications adopted at American Society of Municipal Improvements, n 513
  photographs:
    samples aid city paving records, *350
    used as specifications by Portland, Ore., 418
  public finally responsible party in utility development, e 637
  regulating sale of water by meters at Philadelphia proposed, e 457
  snow-fighters in New York City paid $36,000 in silver, e 758, n 783
  specifications issued in loose-leaf forms by Portland, Ore., 352
  street cleaning:
    costs compared, n 626
    New York City business basis advocated, e 188
    no health menace in, e 549
  subsurface mapping systematized at Washington. By Asa E. Phillips, *262
  standard units for reporting municipal work, e 547
  traffic-count data, standard forms, *621
  waste collection recommended by motor trucks, n 496
  water waste prevention plans at Chicago, e 667
  waterworks organization, ideal, described, a *323

N

Nagy, B.: Hydrated lime and faulty brick piers, l 539
Nashville, Chattanooga & St. Louis Railway: Metropolis bridge, special details in erection reduce secondary stresses, e 757, *774
Nashville, Tenn.: Macadam road repaired by tar spraying. By Robert H. McNeilly, *281
National Academy of Sciences: Co-operation with engineers, e 367
National Association of Railway Commissioners: grade-crossing signs and other protection suggestions, e 638
National Fire Protection Association: Convention, n 753
National Guard, payment of regular salaries, e 1
National Industrial Conference Board formed for consideration of labor problems, e 638
National Lime Manufacturers' Association: Contest letters with won prizes, 764
National Paving Brick Manufacturers' Association:
  brick-road demonstration at Terre Haute, Ind., e 397
  convention Oct. 6 at Paris, Ill., n 304
  inspection of monolithic brick pavements, n 484
National Research Council: Immediate activity planned, n 483
National Rivers and Harbors Congress: Interstate Commerce Commission and control of water transportation, n 755
National Safety Council: Annual congress, Detroit, n 394
Naval Consulting Board:
  Council of National Defense takes over work, e 429
  industrial preparedness committee proposed, n 453
  industrial survey, e 125
  inventory of industries for mobilization, 12
  method of collecting data of national-defense measure. By Robert K. Tomlin, Jr., *128
Near, N. G.: Charts tell weight of sheeting for round or box cofferdams, h *451
Nebraska: Central Power Company, hydroelectric development on Middle Loup River, *716
Nelson, B. S.: Low-lift pumping plant uses distillate fuel, *437
Newark, N. J.: Dikes and tide gates control mosquitoes, a *449
New England Power Company records data on post cards, *715
New England Waterworks Association: Boston meeting, n 574
  convention issue of Engineering Record, e 207
  papers presented at Portland convention abstracted, a 385
  pipe-joint leakage to check $4,000,000 annual loss, e 608, a 616
  Portland convention, e 247, n 276, n 333
    news report, 393
  present condition of leakage in pipe satisfactory? e 369
  standardized water meters, e 367
New Jersey:
  Black Tom Island explosion, n 183
  Board of Commerce and Navigation recommends $7,000,000 water terminal at Bayonne, n 633
  highway conditions reviewed, e 609, a 623
  motor trucks restriction proposed, e 519, a 536
  road cost increased by traffic and difficult construction, n 498
New London, Conn.: Timber-incased concrete caisson for bridge, *737

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

- New Orleans, La.: Low-lift pumping plant uses distillate fuel. By B. S. Nelson, *437
- New Richmond, Ohio: Swinging leads on derrick boat rigged for rapid driving, h *25
- New York Connecting Railroad: Screw spikes, *533
- New South Wales irrigators assisted, 112'
- New York City:
  - apartment weighing 1450 tons moved 80 ft., h *26
  - Board of Standards and Appeals:
    - inaugurates bulletin, n 423
    - rules of procedure adopted, a 405
  - building districts defined, *166
  - building restriction ordinance passed, e 125, 153, e 158
  - building zones, e 487
  - Bureau of Municipal Research, highway and engineering administration courses, n 514
  - city planning campaign, e 158
  - columns of viaduct raised, *553
  - Forty-sixth Street pier excavation and masonry completed, *62
  - park system by tree planting, *147
  - passengers over Williamsburg bridge, n 16
  - pavement damage calls for motor truck restrictions, a *495
  - pavements in Borough of Manhattan discussed, a 225
  - refuse-disposal plant dispute, e 157
  - rock, character of. By V. S. Moon, l 22
  - snow removal, tie-up prevented by 12,000 snowfighters, e 758, n 783
  - street-cleaning, business basis advocated, e 188
  - subsurface pump recommended for Central Park, e 95
  - street railway strike threatened, e 397
  - subway:
    - center-cut method avoids vertical side face in bad rock, e 759, *760
    - columns and girders designed, *113
    - concrete form failure stops traffic, n 543
    - Ely Avenue extension opened, n 603
    - hole through first of new tunnels under East River, n 694
    - largest elevator shaft sunk under Forty-second Street, *285
    - progress of work, n 543
    - south tube of East River tunnel opened, n 783
    - steam shovel underground, h *149
    - $22,000,000 to complete, 91
  - traffic over driveways, 54
  - vehicle tube under Hudson River approved, n 814
  - water supply, 18-mile tunnel to be driven, n 663
  - West Side improvement, e 788
- New York City Elevated Railway: Domed arch construction, Queens Boulevard extension, *254
- New York Municipal Railway Corporation: Details of steel elevated structures in Brooklyn, *82
- New York, New Haven & Hartford Railroad: Timber-incased concrete caisson for New London bridge, *737
- New York State:
  - barge canal:
    - bin has high salvage value, *542
    - in partial operation, e 517, *520
    - breaks quickly repaired, a 384
    - lock design, *521
  - highway department criticized; deputy commissioners reply, 653
  - highway department dragged into politics, e 549
  - mobilization of national guard at Camp Whitman. By Robert K. Tomlin, Jr., *4
  - motor truck men object to proposed schedule, n 813
  - Bureau of Municipal Information, results of questionnaire, e 307
  - roads, cost of several types, a 264
  - Upper Hudson River regulating district, plan for reservoirs in Adirondacks, n 723
- Niagara Falls:
  - divert 1400 additional sec. ft., n 711
  - fuller use of water recommended, a 204
  - hydroelectric situation discussed, n 213
  - power question may be settled by international committee, n 214
  - power situation reviewed, 152
- Nitrate in U. S. claimed to be without value, n 715
- Nitrogen recovery from sewage sludge commercially practicable, e 428, a 444
- North Western Road Congress: Annual convention at Chicago, 753

O

- Oates, J. M., Jr.: Full-width iron-shod screed gives crown to concrete road, h *781
- Omaha, Neb.: Coagulant plant uses improved alum process, *435
- Oregon City, Ore.: Bids asked before bonds were voted on water supply system. By H. A. Rands, e 697, *700
- Oregon Highway Commission: Road laws need overhauling, a 594
- O'Neill, J. H.: Local water tested by laboratory on wheels, *319
- Oils, asphaltic, heated quickly in retort, *297
- Osborn, Frank C.: To compute properties of unsymmetrical sections, l 780
- Oxyacetylene apparatus:
  - torch, how not to use. By William G. Broadhurst, h 149
  - torch widens cable-line slot, n 267
- Observatory on standpipe, n 45
- Oregon water law upheld by supreme court, e 2

P

- Pacific Great Eastern Railway, bonds floated to complete line, n 283
- Pagon, W. Watters, Slide rule for number of rivets, 1 510
- Palmer, W. K. What caused Quebec Failure? 1 480
- Panama Canal:
  - lighthouse stairway, precast design. By Walter F. Beyer, *139
  - lock gates and valves, corrosion of, a 681
  - lock gates compared with those at Keokuk and Louisville, a 46
  - rainfall for 1915, n 676
  - slides will be overcome, a 650
  - surges for 16 miles from Pedro Miguel lockages. By R. Z. Kirkpatrick, *591
  - time of passage through, n 741
  - tolls discussed by General Goethals, n 813
  - traffic first part of 1915, n 318
- Panama Canal Record, new size and name, n 334
- Panama-Pacific Exposition:
  - engineers executives in administering $18,000,000 budget, e 187
  - Horticulture Building wrecked, *742
  - Tower of Jewels salvage readily marketed, *764
  - wrecking, dynamite proves effective, *203
  - move 1000-ton building 32 miles, n *303
- Paris, Ill., Monolithic pavements in Vermilion County. By Harlan H. Edwards, *400
- Park, E.:
  - Chinese build reinforced-concrete warehouses, *557
  - men cheaper than machines in China, *525
- Parker, Harold: Obituary, 726
- Pasadena, Cal., City engineer and commissioner prefer activated sludge process, a 628
- Passaic Valley Sewerage Commission must raise $2,000,000 to complete sewer, n 634
- Patch, Dan:
  - cost of cost keeping cut by study of office force, h 58
  - diagrams for cost of placing steel reinforcement, *264
- Pavements (see roads)
- Peoples Gas Light & Coke Co. of Chicago, profit-sharing plan, e 609
- Pennington, G. R., Trailers with motor trucks, 1 24
- Pennsylvania:
  - committee will study conservation of water, n 723
  - dams, n 690
  - road condition, n 442
  - Water Commission:
    - policy outlined, n 333
    - work, 1915, outlined, n 303
    - state control of power suggested, n 604
  - two miles of road built in 48 hours, n 122
  - workmen killed in 1916, n 361
- Pennsylvania Railroad:
  - Chicago freight terminal, *594
  - grade crossing elimination at Cincinnati, Ohio. By H. G. Wray, *144
- Perkins, Frank C., Gasoline tractor developed in power ditching, *134
- Perkins, William C., Monolithic and semi-monolithic brick roads satisfactory, 1 569
- Philadelphia:
  - Bell Parkway Building, foundation designed, *259
  - Bensalem Avenue bridge design. By Jonathan Jones, *504
  - building construction record for factory, *162
  - buildings designed for maximum daylight and transportation facilities, *804
  - concrete cured under freezing conditions tested, *78
  - municipal auditorium, *121
  - pipe trestles of wood replaced by concrete. By John S. Ely, *329
  - regulating sale of water by meters proposed, e 457
  - specification, ambiguity in, e 65
  - Philadelphia & Suburban Gas Company machine bends pipe at low cost in field, h *661
  - Philadelphia Rapid Transit System, Unballasted track economical in subway, *471
- Philippine Islands, Increase in number of native engineers, n 646
- Phillips, Asa E.,
  - mileage as basis for computing depreciation, *733
  - Washington systematizes sub-surface mapping, *262
- Photography:
  - camera on engineering work, l *750
  - camera's use on engineering work worth learning. By H. Colin Campbell, e 668, *670
  - pictures lie, *154
  - pictures of samples aid city paving records, *350
  - prizes for pictures showing merits of concrete, n 454
  - resident engineers on drainage work that take pictures, n 256
  - specifications contained on prints from camera negative, 418
  - technique, lens and subject worth study, e 668, *670
- Pierce, D. T.:
  - evidence presented on wear of concrete roads, l *509
  - notes on New York road conditions, 653
- Pierce, E. G. Abnormally slow setting of small areas of concrete, l 539
- Piers (see bridges, abutments and piers, foundations, wharves and docks)
- Piles:
  - cut off by portable motor-driven saw, h *571
  - sheet:
    - backfiller pulls, h *811
    - driven with land driver equipped with two-way leads on Cape Fear River, h *362
    - inverted hammers pull 72 ft. at New York pier. By C. W. Staniford, e 607, *627
    - rigid guide frame holds. By C. Louis Zull, h *781
    - short pieces of steel welded together, h 721
    - steel driven cheaply under water with two rigs. By George W. McAlpin, h *751
    - structures made tight, h 301
      - By Carl O. Johnson, h 391
      - how made, h 242
    - weight for round or box cofferdams determined by charts. By N. G. Near, h *451
- Pipe:
  - bent at low cost in field, h *661
  - break causes flood in New York tunnel, n 423
  - compression tests of electric conduits. By W. E. King, *200
  - concrete elbow for wood, *642
  - conduit, masonry tested for carrying capacity, n 450
  - corrosion of 350-mile Australian line 12 years old, e 488, a 501
  - dismantled with powerful wrench, h *601
  - excessive waste indicated in American cities, e 608, a 616
  - fire hazard in frozen, e 727
  - flange wedged for grout connections, *796
  - higher unit stresses and computation of water-hammer pressure. By Barton M. Jones, 794
  - joint leakage correction, n 712
  - leakage should be investigated at Tonawanda, N. Y., e 458
  - melt lead from joints of water line, l 779
  - metal flumes' life increased by using coal tar, a 622
  - Oregon City asks for bids before bonds were voted. By H. A. Rands, e 697, *700
  - riveted joint, economical type for steel pipes and standpipes. By Frank H. Carter, *467
  - slow setting of small concrete areas, l 539
  - steel in wrought-iron by etching test, 110
  - steel recommended for 37-in. main at Rochester, N. Y., a 40
  - transition from circular to rectangular section, *641
  - tripod used to swing ram, h *691
  - velocity of flow formula, l 600
  - vitrified duct line moved with screw jacks. By W. M. Stieve, h *632
  - vitrified, with asphaltic joints used as force main, a 619
  - windlass replaces tripod and derrick, h *542
  - wood stave on West Okanogan irrigation system, *640
    - repaired at San Diego, Cal., n 651
- Pittsburgh:
  - meeting of American Society of Civil Engineers, 27
  - sewer explosions, e 96
  - William Penn Hotel. Turntable dump for motor trucks on excavation, *765
- Plant City, Fla.: Auto truck lines compete with railroads, 100
- Plumbers sanitary engineers? By N. T. Binks, e 157, l 270
- Plumbing:
  - prizes for design of fixtures and equipment, e 278
  - prizes offered for best papers, n 304
- Poles and posts:
  - concrete with galvanized corrugated steel for fence, *537
  - creosoting effective, a 414
  - road signs, improvements in, a *807
- Pond, Frederick H: George's opportunity, l 688
- Political economy, engineer's interest in, e 96
- Pomona, Cal., Quick repair of embankment prevents flood, n 39

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

Portland, Ore.:
  drinking fountains gain popularity, *494
  interstate bridge substructure completed. By Frank M. Cortelyou, *36
Portland Cement Association:
  concrete paving statistics, n 12
  concrete tanks affected by few fluids, a 470
  concreting in cold weather, a 319
  structural materials research laboratory, Lewis Institute, 496
  survey of concrete roads planned, n 619
  tennis courts built of concrete, *358
Porto Rico: $2,000,000 for roads and bridges, n 122
Ports (see waterways)
Post, Henry B. Steel arches designed to eliminate rim tension in oil reservoirs, *353
Preparedness:
  earthquakes, e 157
  health element in, e 217
Prouty, E. W. Answers to query as to grouting rock under Ripogenus Dam, l 570
Pruett, G. C.: Quality of concrete and of engineering supervision, l 688
Public Belt Railroad Commission of New Orleans considers applications for bridge or tunnel contracts, n 334
Public, education of, urged, a 77
Publicity:
  advertising discussed by Oregon engineer, a 434
  Chicago Association of Commerce to secure public improvement, e 187
  Cincinnati, New Orleans & Texas Pacific Railway, e 188
  city planning, New York City, e 158
Public utilities:
  commissions should regulate, not operate, corporations. By Leonard Metcalf, 588
  labor disputes, proposed settlement by commission, e 668
  management by separate company tabooed in Massachusetts, n 815
  public finally responsible party in development, e 637
  regulation on right basis? e 548, 561
Public works bureau urged, a 9
Pumps:
  boat washes cofferdam fill to place from barges. By George W. McAlpin, h *391
  distillate fuel used in low-lift plant at New Orleans. By B. S. Nelson, *437
  force grouting, 796
  gas engine centrifugal recommended for Boston station, a 438
  raise water 68 ft. in tandem, h *272
  valve used as shock absorber in discharge, h 572
Pumping station makes deep Idaho lake available as equalizer for Bear River, *68

Q

Quebec Bridge:
  central span to be placed, *273
  failure, e 517
    analysis, *363
    breakage of casting of rocker-joint bearing responsible, *370
    cause of. By W. K. Palmer, l 480
    discussed and success of rebuilding assured, e 338
    evidence complete, e 429
    initial cause of, e 368, *432
    while being hoisted, *363
  methods to float and hoist center span, *372
  rebuilding announced, e 367
  superstructure to be placed, n 333
Quebec, Canada, encourages water-power development, 42
Queen & Crescent Railroad improves drainage of roadbed. By J. T. Bowser, *625

R

Railroads:
  Alaska, progress not slower than expected, n 754
  Atlanta's two passenger terminals may be replaced with one, *746
  Bessemer & Lake Erie, grade reduction near Culmerville, Pa., *14
  Boise & Arrowrock for sale, n 334
  Canadian board, n 152
  capitalization, increasing, e 219
  changes in laws affecting regulation, n 122
  Chicago, Milwaukee & St. Paul, construction at Chicago, *75
  Chicago terminal for Illinois Central, plans presented, *404
    problem of Illinois Central discussed, n 393
  Chicago traction plan, e 757, *770
  China will build about 1000 miles, n 453
  Cincinnati, New Orleans & Texas Pacific, accident publicity, e 188
  cost, estimated and actual, of Baguio Railway, l 539
  drainage of subgrades with tile, a 704
Railroads (continued)
  earnings increase in year ended June 30, a 436
  construction:
    labor handling problem in construction of Baguio Railroad, P. I. By W. M. Butts, *351
    men cheaper than machines in China. By E. Park, *525
  eight-hour law:
    Goethals, Major-Gen. George W., heads board, e 457, n 483
    effect on employees not in brotherhood, e 458
    unconstitutional, n 693
  electric:
    Boston. "South Station Under" has ample traffic facilities. By William W. Lewis, *800
    Cleveland Railway bridge failure, *483
    Cleveland street railway flushes streets, *45
    New York City, threatened strike, e 397
    sandstone blocks as new pavement foundation, *585
    subway track, unballasted, proves economical, *471
    traffic study in Chicago, 153
    want less crown in pavements, a 172
  electrification of Chicago, Milwaukee & St. Paul, *41
  electrification of Illinois Central, n 783
  elevated structures in Brooklyn, details of design, *82
  employees not members of the brotherhood petition Congress, e 189
  government ownership:
    England, e 548
    failure in Canada, e 127
  government regulation, review of situation, e 607
  grade crossing:
    Drainage drifts stopped slides at hillside separation. By H. G. Wray, *144
    public should be enlightened, e 697
    special construction methods to maintain traffic on Delaware, Lackawanna & Western Railroad, *680
    making safer, e 247
    protection signs, e 638
  grade recuction of Bessemer & Lake Erie, *14
  Hetch Hetchy construction material hauled, a 138
  incline cable affords access to Nevada quarry, *355
  investigation has become of national importance, e 637
  location affects track maintenance. By Kenneth L. Van Auken, 292
  maintenance of way expense, allocating. By John A. Rockwood, l 55
  Manila purchased by Philippine government, n 362
  New York, Chicago & St. Louis. Quicksand would render hydraulic grading unsafe in Cleveland, n 423
  New Zealand developed, n 422
  protest against first two tentative valuation reports, e 729, a 735
  Queen & Crescent roadbed drainage improved. By J. T. Bowser, *625
  rates and wages here and abroad, e 669
  regulating interstate, e 1
  revenue:
    April, 1916, n 54
    July and August increased, n 660
    May, 1915, n 235
  strike:
    arbitration by Interstate Commerce Commission or under the Newlands Act, e 1
    averted, n 213
    situation Sept. 2, e 279
  sue to test 8-hour law, n 633
  track:
    Chicago Union station plans, *558
    gage to measure rail wear, l *779
    laying out sharp curves. By F. T. Howes, 718
    transverse fissures laid to manufacture, a 268
    wear on sharp curves. By J. T. Bowser, *555
  track-elevation, soil-bearing tests to determine loading. By R. H. Ford, *652
  transportation problem inquiry, e 125
  turntable pounding prevented in 100 ft. structure on Santa Fé, *390
  valuation (see valuation)
  wage controversy, some aspects, e 308
  wider freight house platforms, n 17
  yards and terminals:
    California commission declines to investigate, n 574
    Chicago Union Station plans made public, *558
    Pennsylvania Terminal at Chicago, *594
    San Antonio, Tex., well under way. By D. A. Tomlinson, *473
Ramsay, Sir William: Obituary, 155
Rands, H. A.:
  bids asked before bonds voted to show that estimate represented cost of pipe line, e 697, *700
  grouting alternate holes reduces drilling time, l *479
Reclamation:
  canal width limits on Little River district in Missouri, *174
  co-operative land selling, Elephant Butte, e 189
  drainage:
    automatic gates used in California, *47
    ditches damaged by improper inlets, *226
    Little River district of Missouri, *174
    problems studied by Missouri engineers, n 652
  extension act amended, n 394
  pumping plant in Louisiana uses distillate fuel. By B. S. Nelson, *437
  St. John's Valley, Florida, permit to begin work granted, n 393
  settlers' problems discussed at irrigation congress, n 545
  settlers with small farms most successful, a 705
  Shoshone report on condition of settlers, e 458, a 463
  tile drainage, how to get best results, a 704
Reeves, Austin H.: Present-day college education, l 66
Refuse disposal:
  burner moved on barge without jacking, h *89
  contractors solve San Francisco's problem, n 603
  hogs as waste consumers, e 125
  hogs eat Denver's garbage, *135
  methods of collecting and disposing reviewed by American Public Health Association, a 585
  New York City, dispute placing at Staten Island, e 157
  Staten Island, N. Y., $100,000 suit instituted, n 394
  specifications, more attention should be given to, n 574
  Springfield, Mass., plant bankrupt, n 394
Reservoirs:
  Bear Lake, Utah-Idaho, *68
  capacity increased and construction cost decreased by hydraulic sluicing, *712
  Cedar River, Seattle, sealing with clay and asphalt, a 228
  Cleveland, new to be built inside old one that failed, *702
  concrete:
    collapses at Madison, Wis., n 333
    constructed without forms with Cement Gun, h *512
    disintegrated by few fluids, a 470
    Omaha constructed by day labor. By Homer V. Knouse, *527
  construction:
    form handled by light traveler which straddles wall, h *90
    reinforcement placing aided by notched steel brackets. By E. W. Kelly, *312
  cost of 5,000,000 gal. concrete basin at Duluth, Minn. By E. W. Kelly, *312
  Elephant Butte to serve 233 years, a 349
  failure, Madison, Wis., *343
  Keechelus, Wash.: Watertight construction feature of design. By C. E. Crownover, *474, *534
  rim tension eliminated by steel arch design, *353
  seepage remedies for Cedar River, Seattle, e 217
  spillway, cumulative counterweights feature. By Joseph Wright, *286
  propose $6,500,000 project in Adirondacks, n 723
Reynolds, Jos. B.: Design of sand boxes to lower arch centers, l 630
Riemenschneider, R. R.: Odds and ends make locomotive, h *119
Rio Grande Light, Heat & Power Company: Hydroelectric development in New Mexico, n *604
Risley, W. I.: Brush-and-stone jetties prove effective, l 117
Rivers and Lakes Commission: Report on flood control problems of Illinois River, a 16
Riverside, Cal.: Oiled pavements smoother with scarifier and scraper, *232
Rivets:
  carry unequally distributed stress, 651
  electric welding may supplant. By G. C. Hinckley, 524
  number estimated by slide rule, l 510
Roads:
  asphaltic. Oils heated quickly in retort, *297
  Bitulithic laid over old gravel. By David H. White, *17
  bitumen-testing needles with constant friction. By Samuel Whinery, *258
  bond issues, arguments advanced against, e 609, a 623
  break, causes of low, n 532
  brick:
    grout cracks of old pavements, l 779
    laid on 2-in. mortar base for $1.45½ per sq. yd. By P. E. Green, *797
    monolithic and semi-monolithic satisfactory, l 569
    monolithic brick laid in King County, Wash., n 510

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

- Roads, brick (continued)
    - monolithic inspected at Paris, Ill., e 397, n 484
    - pavement carries 4492 vehicles a day, 54
    - relaid on wet concrete cushion, 676
    - semi-floating in California, *172
  - bridge manual, e 789
  - bridges, short-span standard adopted in Utah, a 175
  - broken stone not permanent improvement in Pennsylvania, n 693
  - Chicago can improve paving methods, e 697, a 702
  - citizens select type, e 35
  - comments on Eastern, a 142
  - concrete:
    - belts used successfully in floating. By H. B. Bushnell, e 457, h *481
    - cause of cracks, studies begun. By William M. Kinney, 621
    - cracks developed in a year, a 87
    - concrete for resurfacing, a 434
    - cracks prevented by reinforcement, *643
    - decolorize tar streaks, n 701
    - durability of, e 578, l 600
    - expansion joints unnecessary, n 783
    - hardeners used on experiment in Louisiana, n 766
    - hose used to finish, h *572
    - inverted crown. By S. W. Greene, l *55
    - iron-shod screed gives crown to concrete road. By J. M. Oates, Jr., h *781
    - joints laid late in season, 539, 569
    - By H. S. Van Scoyoc, *465
    - pavement laid on 2-in. mortar base. By P. E. Green, *797
    - pavement, record grade for, n 471
    - scarcity of pebbles forces change, n 705
    - steam shovel breaks up with drop hammer. By Herbert J. Gilkey, h 812
    - stone transferred from trucks to train, h *211
    - tar for bond, a 434
    - tests needed to verify crack theory. By S. Whinery, *529
    - turnouts, information wanted on, l 688
    - used in resurfacing, e 427
    - water kept on by additional dike, *500
    - wear, evidence presented in Wayne County, l *509
    - wear tested, a 50
  - congress passes $85,000,000 bill, 42
  - construction:
    - asphalt heat held by asbestos lining in truck body, h 602
    - belts for floating concrete should be waterproof, l 599
    - belts used in floating concrete. By H. B. Bushnell, e 457, h *481
    - brick laid on concrete base in monolithic pavements, Vermilion County, Ill. By Harlan H. Edwards, *400
    - California highways nearing completion, n 201
    - cement handled safely and cheaply on plank racks. By Harlan H. Edwards, h *421
    - costs $5,500 per mile in Africa, a 354
    - costs $26,000 to build 50-mile road in Utah, *356
    - crane unloads stone and hauls scraper to spread it, h *692
    - crushed-stone in Indiana. By R. L. Longshore, *449
    - drum on rear axle of mixer pulls template. By Harlan H. Edwards, h *721
    - equipment depreciation, n 644
    - granite block laid in Brooklyn to replace wood block, *51
    - grout mixer designed, *651
    - highway over continental divide in Southwestern Colorado, *378
    - hose used to finish concrete, h *572
    - increase caused by extended use of motor vehicles, n 392
    - industrial track ballasted with rock pays. By Harlan H. Edwards, h *451
    - joints in concrete laid late in season. By H. S. Van Scoyoc, *465
    - leaner grout as remedy for expansion problems, n 112
    - macadam built through Maine woods to construct dam, *237
    - McLennan County, Texas. By William C. Davidson, *177
    - motor truck hauls 30-ton industrial trains, h *181
    - New York State Highway Commission criticized; deputy commissioner's reply, 653
    - North Western Road Congress, 753
    - plank laid across shifting desert sands, *131
    - plow on dinkey clears road of material, h *812
    - plow handle tamper and lengthy floats. By Lester H. Morris, h *751
  - prosperity follows Western, e 368
- Roads, construction (continued)
    - release valve maintains pressure in highway water-supply line. By Harlan H. Edwards, h 691
    - sand dredged from river for California road, *265
    - single-track in New York, n 265
    - stone transferred from trucks to train, h *211
    - subgrade checked by device. By Ralph P. Brown, h *542
    - two miles built in 48 hours, n 122
  - contractor works all winter, h 661
  - cost:
    - accounting, uniform, should be adopted, e 427
    - data on California, n 232
    - guessing at, e 757
    - traffic and difficult construction increase in New Jersey, n 498
    - crushed-stone $3,500 to $4,500 per mile. By R. L. Longshore, *449
    - highway commission of California accounts for $18,000,000, e 518, a 536
    - location of material bases help contractors bid h 300
  - convicts:
    - decrease since prohibition, e 547
    - do heavy work, 461
    - labor not always economical, n 51
  - crowning in Chicago excessive, a 172
  - curb, integral, cuts paving cost, n 150
    - superelevation determined by California Highway Commission, *293
  - damages for extraordinary traffic, e 757
  - equipment. Squeegee made out of old hoe, h *661
  - expenditure in 1915 by U. S. Office of Public Roads, a 466
  - federal aid bill, e 33
  - federal allotments, 130
  - Ford in Washington County, Utah, *148
  - foundations, pavements between street-railway tracks paved by mixer mounted on trucks, h *392
  - Georgia House and Senate pass highway bill, n 243
  - grader hauled by auto truck, h 482
  - grades cut down in San Francisco, *556
  - granite block laid in Brooklyn to replace wood block, e 65
  - gravel:
    - disintegrated, best natural highway material in Colorado. By W. W. DeBerard, *460
    - harrowing highly important, a 79
  - gutters, cobble, l 419
  - highway commission wants results, not excuses, a 533
  - instruction. Short course at University of Illinois, n 634
  - labor, skilled difficult problem in Pennsylvania, n 358
  - latest style in highway, e 487
  - laws in Oregon need overhauling, a 594
  - legislation:
    - federal allotment collected, 130
    - federal road-aid bill not a pork measure, e 125
    - $2,000,000 in Porto Rico, n 122
  - macadam, repaired by tar spraying. By R. M. Strohl, l 361
  - maintenance:
    - American Association of State Highway Officials convention, n 783
    - bituminous patches made with portable plant. By Samuel H. Lea, *555
    - cost reduced by motor trucks, *73
    - direct dragging, directions for, n 469
    - macadam repaired by tar spraying. By Robert H. McNeilly, *281
    - McLennan County, Tex. By William C. Davidson, *177
    - men scarce, n 655
    - North Western Road Congress, 753
    - oiled-street mileage of St. Louis doubled with auto truck, a 526
    - oiling better in Arizona when surface is wet, a 584
    - oil 18 miles in 24 days in California, n 256
    - roller and scarifier in Indiana. By George E. Martin, 556
    - scarifier and scraper used, *232
    - stations for California highways, *299
    - tar spraying repairs worn macadam. By R. M. Strohl, l 361
    - template used in resurfacing old macadam, n 208
    - trailer furnishes hot oil for small jobs, h *752
    - mapped in South Carolina, n 679
  - map, pocket size, issued by New York State Highway Commission, n 356
  - monolithic pavements in Illinois. By Harlan H. Edwards, *400
    - built on 1-in. base, *708
  - motor fees in United States, n 176
- Roads (continued)
  - motor trucks:
    - effect of, e 487
    - legislation discussed at Albany hearing, n 663
    - regulation advocated in Michigan, a 595
    - restrictions proposed to conserve, e 519, a 536
    - restrictions to prevent damage, a *495
  - New Jersey spends $100,000,000 yet has inadequate system, e 609, a 623
  - New York highway commission dragged into politics, e 549
  - part-time boss, e 787
  - patrolman, location of, indicated by flag, n 212
  - pavements:
    - curb, adjustable trowel triples finishing progress. By P. E. Green, h *812
    - New York City, Borough of Manhattan, discussed, a 225
    - petitions—the right kind, e 458, l 570
    - scarifier and scraper smooth oiled, *232
    - selection of right kind, l 630
    - selection should be left to official in charge, l 541
  - Pennsylvania, condition, n 442
  - photographs of samples aid Portland paving records, *350
  - progress on New York highways, a 264
  - property owners not liable for improvement, n 694
  - protected cheaply from scour. By George E. Schaefer, *503
  - promotion work should be put on honest engineering basis, e 577
  - protected from sea by a sheet piling, *208
  - resistance tested by motor truck runs, a 768
  - right-of-way at sharp curves. By H. E. Bilger, a 77
  - sandstone blocks serve as new pavement foundations, *585
  - sheet-pavement problems in St. Louis, a 505
  - signposts, improvements in, a *807
  - sixty million dollar bond issue in Illinois, n 814
  - soil, before and after building, in Virginia, *657
  - specifications adopted at American Society of Municipal Improvements, n 513
  - speed suppressors needed to curb automobiles, l 600
  - straightened in King County, Wash., n 114
  - tar filler poured from wheelbarrows, h 661
  - traffic:
    - count, standard forms, *621
    - increase, e 247
    - on rectangular system analyzed. By E. W. James, *439
  - traffic-census forms, changes suggested. By Daniel B. Goodsell, *748
  - type selection by petition, l 570
  - U. S. Office of Public Roads:
    - reorganized, *615
    - prescribes rules for federal-aid appropriations a 405
  - Vermilion County method of spending $1,500,000 for bond issue, *678
  - Washington will spend $5,000,000 during next two years, n 775
  - wear, evidence of, l *509
  - white bridges mark auto trail, n 439
  - winter traffic regulated, n 166
  - Wolf Creek Pass over Continental Divide in Colorado opened to traffic, *378
- Roark, Raymond, J.: Tests apparently substantiate theoretical formula for strength of outstanding flanges, *592
- Rochester, N. Y.: Steel pipe recommended for 37-in main, a 40
- Rock-crushing machinery:
  - spindle straightened in field. By H. S. Carpenter, h *511
  - Welland Canal, *490
- Rockwood, John A.: Proper basis for allocation of maintenance expenses, l 55
- Rods (see concrete, reinforcing)
- Rogers, Frank F.: Motor truck legislation problem, 742
- Rope:
  - see cables
  - tension in, h 25
  - wire, tested by Bureau of Standards, *81
- Ross, Louis: Stoplog barrier regulates Romanov Canal, *114
- Ross, R. A.: American engineers for Canadian work, l 472
- Roosevelt tunnel, record penetration, 384
- Rubidge, W. F. B.: Approaches of Bloor Street viaduct, Toronto, have concrete-covered steel frames, *714
- Ruth, Edgar K.: Hopple Street viaduct, Cincinnati, built with cantilever beams of arch form, *381
- Ryan, James: Powerful wrench dismantles large-diameter pipe line, h *601

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

S

- Sacramento, Cal.:
  - deep-water route can be built cheaper than old can be maintained, n 431
  - water supply:
    - filtered river water most economical, e 397, a 403
- St. Augustine, Fla.:
  - St. Johns Valley drainage plans approved, n 393
  - sewer system without manholes or records, l 599
- St. Charles, Mo.: Bridge over Missouri River wrecked by fire, n 453, *477
- St. Louis, Mo.:
  - conduit tested for carrying capacity, a 450
  - flood control will make waste land factory sites, a 773
  - Municipal bridge nears completion, n *455
  - typhoid decreases, n 473
  - water supply, operation of filter plant, a 532
- St. Louis Engineers' Club: Sheet-pavement problems in St. Louis, a 505
- St. Louis & San Francisco Railroad: Trusses changed for girders without falsework. By C. L. Ketcham, h *422
- Salt Lake City water supply increased by new arched rubble dam, *314
- Sand:
  - storage and conveyor, Yadkin River hydroelectric project, *613
  - uniformity coefficient a misnomer, l 599
- San Diego, Cal.:
  - arched gravity dams to be built, *195
  - concrete-slab cover for 19-mile ditch. By A. C. Francis, *718
  - highway protected from sea, *208
  - track built on top of tunnel pipe. By A. C. Francis, h *662
  - wells protected from flood damage by wedges. By A. C. Francis, *773
  - wood pipe and tunnels repaired, n 651
- San Francisco, Cal.:
  - beach protected by monolithic concrete structure, *560
  - building since 1906, n 772
  - Calaveras dam constructed by hydraulic method. By G. A. Elliott, *220
  - garbage disposal problems solved by successful bidder, n 603
  - granite curbing being replaced by concrete, n 707
  - street grades cut down, *556
- San Francisco-Oakland bridge proposed, 29
- Sarr, F. W.: Reply to criticism of New York roads, 654
- Schaefer, George E.:
  - country roads protected cheaply from scour, *503
  - reinforced-concrete bridge fails at Moscow, N. Y., l 22
- Schenectady, N. Y.: Dam failure, n *544
- Schmitt, Edwin A.: Heartwood specification and density rule, l 630
- Schriver, Karl H.: Hurters suspended from timber in concreting dam foundation, h *631
- Schwendener, Karl D.: Diagram useful for bending up steel reinforcement, *239
- Scientific research applied to industrial problems approved by British government, a 683
- Scientists, relation between engineers and, e 459
- Seabright, N. J.: Low jetties for shore protection, *18
- Seaboard Byproduct Coke Company ovens on Jersey meadows, *703
- Seaman, Henry B.: Relation between yield point and proportional limit, l 117
- Seattle:
  - Cedar River reservoir seepage, e 217
  - Cedar River reservoir, silt with clay and place asphaltic lining, a 228
  - Lake Washington Canal, main lock open to traffic, n *243
  - streams carry gravel, sand and silt which must be removed before power is developed, *290
  - tunnel under Lake Union presents difficulties, *795
- Seattle engineering societies consolidate, n 784
- Seawalls (see shore protection)
- Sell, W. D.:
  - Engineers' "right-of-entry" act, l 180
  - Loose-leaf methods applied to surveyors' notes, 229
- Serviss, Chas. F.: Longest span slab used in Chicago hospital, l 780
- Sewage treatment:
  - activated-sludge:
    - community plant for Chicago stockyards, n 784
    - Chicago Sanitary District to build plant, n 695
    - preferred by city engineer of Pasadena, Cal., a 628
    - stock-yards wastes, 137
  - aeration suggested for disposal of sludge, a 448
  - American Society of Municipal Improvements, session unsatisfactory, e 517
  - Cameron septic patents expire. By George W. Fuller, 486
  - Chicago Chamber of Commerce to assist in solving problem, n 664
- Sewage treatment (continued)
  - chlorination possibilities, e 278
  - Columbus, Ohio, n 115
  - cost comparison of, by Harrison P. Eddy, a 557
  - dilution method used by Chicago Sanitary District not satisfactory, n 754
  - double tank proposed for residential plants. By Waldo S. Coulter, *298
  - electrolytic-lime plant inspected at Decatur, Ill., n 455
  - electrolytic little better than lime alone. By Edward Bartow, e 577, *596
  - Fitchburg, Mass., report on year's operation, a 565
  - inspection by laymen inadvisable, e 607
  - isolated plants recommended for cities north of Chicago, a 656
  - laymen investigation, l 689
  - nitrogen recovery from sludge commercially practicable, e 428, a 444
  - nomenclature by American Public Health Association, e 548
  - operation, skilled, urged by American Public Health Association, a 582
  - pipe perforated for air distribution at Edmonton, Canada, 660
  - sand catcher costs at Columbus, n 677
  - sedimentation tanks and chlorination for lake cities north of Chicago, a 656
  - self-purification of streams, reaeration important, a 617
  - sludge:
    - dewatering big by-product problem, e 428, a445
    - disposal from mechanical filters, n 573
    - separate digestion improves Imhoff tank operation. By Dr. Karl Imhoff, *101
  - small plants predominate, n 662
  - testing station at Cleveland reports, a 80
  - worms suggest sludge-disposal possibilities, e 578
- Sewerage system:
  - alligator used to clean, n *724
  - arbitration by engineers in valuation case. By Farley Gannett, 107
  - construction:
    - conveyor, belt, deposits wet concrete in forms, h *571
    - Milwaukee River, work performed from five mounted platforms, *227
  - gasolene vapor causes explosions, e 96
  - General Electric Company makes system conform to that of Schenectady, N. Y. By Paul G. Koch, 206
  - inspection by auto in Columbus, O., n 693
  - manholes and records did not exist in St. Augustine, Fla., l 599
  - Passaic Valley must raise $2,000,000 to complete, n 634
  - roots grow rapidly in, l *688
  - vitrified pipe with asphaltic joints used as force main, a 619
- Shafts (see tunnels)
- Shaw, Arthur M.:
  - dredging contractor must keep in close touch with work, *802
  - dredging equipment should be chosen to fit conditions, e 728, *730
  - men trained to fill positions above them in good dredge crew, *767
- Shepard, R. B., Jr.:
  - depreciation as applied to valuation, 202
  - how should abandoned property be valued? 499
- Shipbuilding:
  - American approaches British in volume, n 674
  - new methods for using concrete, l 779
  - plant planned for rapid production of special steamers, a *498
  - shed contains special trusses designed for vertical and horizontal crane loading, *550
  - special trusses in walls of Sun plant, *734
- Shirley, H. G.: Justice to the contractor, l 180
- Shore protection:
  - banks above and below Hanlon Heading, n 514
  - barbed wire helps build river embankments, *707
  - concrete revetment proves economical on lower Mississippi River, a *614
  - England, east shore, n 118
  - four types developed in Washington, *677
  - jetties, brush and stone, prove effective. By Lewis M. Haupt, l 117
    - By W. I. Risley, l 117
  - rake spreads riprap and cobbles, h *812
  - roads protected cheaply from scour. By George E. Schaefer, *503
  - San Diego, Cal. Sheet piling placed along dike, *208
  - San Francisco, monolithic concrete, *560
- Sidewalks, stone, standardized, n 538
- Siems-Carey Railway & Canal Company. Chinese railroad contract secured, n 453
- Sierra & San Francisco Power Company. Strawberry Dam, rockfill, upstream face sealed with sliding concrete apron, *260
- Signs, improvements in those for roads, a *807
- Simmons, Geo. W., Jr.: Alligator cleans sewers in Florida city, n *724
- Sinclair, Frank O.: Obituary, 665
- Slide rule for number of rivets, l 510
- Slides (see landslides)
- Smith, E. D.: Apparatus for determining soil pressures, a *48
- Smith, R. L.: How can bridge aqueduct be cleaned, l 24
- Smith, T. A.: Formulas for width of base of gravity retaining wall, *564, n 769
- Smoke Prevention Association: St. Louis convention, n 454
- Societies:
  - participation of engineers in civic affairs, e 34
  - publication of autobiography, e 34
- Society for Street Cleaning and Refuse Disposal meets in New York City, n 454
- Soil pressure:
  - determinations. By A. E. Goldbeck and E. D. Smith, a *48
  - tested in New York subway excavation, a *291
  - tests determined loading on Chicago track-elevation. By R. H. Ford, *652
- South America:
  - engineering opportunities, 110
    - By V. L. Havens, l 179
- South Carolina maps roads to aid travelers, n 679
- Southern Pacific Railroad:
  - asphalt covering for trestles, n 585
  - rake spreads riprap, h *812
  - Willamette-Pacific line completed, n 333
- Southern Pine Association: Heartwood specification needed to get best grade timber, e 519, e 787
- Southern Railway: Bridge at Asheville holds despite high water, *167
- Specifications:
  - ambiguity in, e 65
  - cement, new, e 65
  - fir bridge timbers, a *70
  - heartwood adopted, e 787
  - heartwood, needed to get best grade, e 519
  - loose-leaf forms covering materials and methods issued by Portland, Ore., 352
  - photographs used by Portland, Ore., 418
  - power given engineer. By H. G. Shirley, l 180
  - procedure for adoption by A. S. T. M., e 65
  - structural steel work of buildings proposed. By R. Fleming, e 698, 708
  - wearing surface of brick pavement, *797
- Springfield, Mass.:
  - coliseum roof supported by 200-foot arches without tie rods, *442
  - refuse disposal plant bankrupt, n 394
- Stairway: Precast design developed for Panama Canal lighthouse. By Walter F. Beyer, *139
- Stamper, R. M.: Justice to the contractor, l 270
- Standardization, overdoing, e 668
- Standard Oil Company: Waterworks intake and pumping station combined, *230
- Standard units for municipal work, e 3
- Staniford, C. W.: Inverted hammers pull 75-ft. sheeting at New York pier, e 608, *627
- Stark, C. W.:
  - how government handles its roadway parties in valuation work, *105
  - much work for railroad valuation engineer precedes advent of government forces, *252
  - railroads' side of valuation, as handled on Jersey Central, *168
  - valuation of Rock Island terminal zone in Chicago presents many special problems, e 397, *410
  - what government valuation division is doing and how work is handled, *43
- Steel:
  - corrosion of pipe line, 12 years old, e 488, a 501
  - design, structural details, standardized, suggested, e 249
  - diagram facilities detailing of gusset plates, *806
  - diagram for bending up reinforcement. By Karl D. Schwendener, *239
  - elastic limit, e 97
  - elastic limit, new standard method for determining, proposed, 331
  - electric welding possibilities, e 549
  - etching detects, in wrought iron pipe, 110
  - fabrication. Electric welding may supplant riveting. By G. C. Hinckley, 524
  - fiber and strains measured in tests, e 159
  - galvanized corrugated with concrete posts for fence, *537
  - relation between yield point and proportional limit. By Henry B. Seaman, l 117
  - water wears. By V. W. Killick, *466
  - yield point and proportional limit, a 78
  - yield point, significance of, e 126
- Steinman, D. B.: Influence lines as deflection diagrams, *648, e 637
- Stevens, E. A.: Uniformity possible in state motor-truck legislation? l 809

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

- Stern, E. W.:
  - paving petitions, the right kind, l 570
  - uniformity possible in motor-truck legislation? l 809
- Stevens Institute of Technology:
  - dedicates new gymnasium, n 695
  - technical report writing required, n 84
- Stevens, J. C.: $600,000 Washington irrigation project completed in a year, e 637, *640
- Stevenson, A. A.: Biography, *28
- Stickney, A. B.: Obituary, 216
- Stieve, W. M.: Move vitrified duct line with screw jacks, h *632
- Stone, J. P.: Manufacturers should tell what parts wear out first, l 479
- Storms (see floods and storms)
- Stream measurements:
  - Colorado River conditions in 1916. By L. M. Lawson, *346
  - most reliable basis for water power predictions, a 103
  - silt deposit above Elephant Butte reservoir, a 349
  - Fox River, n 123
  - reaeration important in self-purification, a 617
- Street Cleaning (see municipal government and roads)
- Strohl, R. M.: Worn macadam roads repaired by tar spraying, l 361
- Studdiford, D. S.: Pneumatic placing saves space in concreting retaining wall, h 181
- Student inspection trip, e 34
- Submarine, arrival of Deutschland, e 66
- Subways:
  - Chicago,
    - financing, program, a 793
    - recommendation of commission, n 723
    - traction plan, e 757, *770
  - New York City:
    - center-cut method avoids vertical side face in bad rock, e 759, *760
    - columns and girders designed, *113
    - concrete form failure stops traffic, n 543
    - Craven, Alfred, retires as chief engineer, e 518, n *543
    - derrick chair takes superintendent with broken leg to work, h *572
    - earth pressures tested in excavation, a *291
    - Ely Avenue extension opened, n 603
    - hole through first of new tunnels under East River, n 694
    - largest elevator shaft sunk under Forty-second Street, *285
    - progress of work, n 543
    - south tube of East River tunnel opened, n 783
    - steam shovel underground, h *149
  - Philadelphia. Unballasted track proves economical, *471
  - Pittsburgh.' Engineers' society submits report, n 121
- Sun Shipbuilding Company:
  - new plant on Delaware River, *498
- Supplee, Jesse: Obituary, 335
- Surge-tank problems solved by new methods. By A. G. Hillberg, *763
- Surveying:
  - canal cross-section notes plotted in field, n 136
  - coast survey stations marked by new tablets, *470
  - history of job shown by notes, e 458
  - hydrographic:
    - device maps route of boat, *147
    - instruments for great depths, *171
    - instrument plots profiles of river and harbor, *109
    - wire drag supplements lead line, a 350
  - notes, loose-leaf methods applied. By William D. Sell, 229
  - planetable facilitates making station maps, e 667, 674
  - planimeter and planetable for railway valuation work. By W. H. Rayner, l 239
  - range finding as an engineering problem, e 249
  - with the camera, *102
- Swan, Robert: Obituary, *516
- Swaren, J. W.:
  - falsework lashed together with vines on Java bridge, *16
  - special mechanical devices needed at small wharves, *176

T

- Tanks:
  - Imhoff operation improved by separate sludge digestion. By Dr. Karl Imhoff, *101
  - raised 50 ft. on cribbing tied together with plank. By John P. Eichleay, h *632
  - septic and Imhoff units. By Waldo S. Coulter, *298
- Technical press, future of. By James H. McGraw, 554
- Technical Publicity Association: Address by Prof. Furman, e 34
- Terre Haute (Ind.) Water Company asks advance payment for metered water, n 406
- Testing apparatus:
  - bitumen tested with needles with constant friction. By Samuel Whinery, *258
  - deflections obtained by means of level bar, a *222
  - stone or concrete to be subject to freezing and thawing, *86
  - strain gage has one-piece welded frame, *194
  - water meters tested quickly in field. By W. T McClenahan, *315
- Texas:
  - highway commission proposed, n 634
  - McLennan County roads maintenance. By William C. Davidson, *177
- Texas Association of Civil Engineers:
  - lump sum contract not favored, n 573
  - vitrified pipe with asphaltic joints used as force main. Paper by John B. Hawley, a 619
- Texas Midland Railroad:
  - protest against first two valuation reports, e 729, a 735
  - tentative valuation report, n 575, e 579, a 598
- Texas Portland Cement Company uses shell deposits, n 142
- Thacher patent declared invalid by Iowa court, n 423
- Ties (see railroads)
- Tile: Special design holds reinforcing in storage building, *54
- Timber:
  - bill introduced in Washington to improve land, n 694
  - concrete supplanted by, n 163
  - cord wood shrinks 25 per cent in sawing, n 686
  - creosoting:
    - fence posts, effective, a 414
    - perforating ties increases penetration, h 332
  - cut in United States in 1915, n 165
  - heartwood clause adopted, e 787
  - heartwood specification and density rule. By Edwin A. Schmitt, l 630
  - railroad cars resawed by Baltimore & Ohio Railroad, n 378
  - selling honestly, e 487
- Time clock saves office work on large job, h *720
- Tomlin, Robert K., Jr.:
  - industrial inventory by engineers will stabilize nation's business in crisis, *128
  - rehabilitation of Europe offers opportunity if American interests co-operate, e 307, *310
  - with the 22nd Corps of Engineers at Camp Whitman, *4
- Tomlinson, D. A.: New Terminal under way at San Antonio, *473
- Tonawanda, N. Y.: Water waste should be investigated, e 458
- Topcock, Ariz.: Novel method of erecting long highway arch, *580
- Toronto, Canada: Approaches of viaduct have concrete-covered steel frames. By W. F. B. Rubidge, *714
- Trees topped with dynamite, h 392
- Trenton, N. J.: Alum plant installed, n 175
- Trestle (see bridges)
- Troy, N. Y.: Street viaduct repaired. By E. J. Doyle, *52
- Tunnels:
  - boring, 30 ft. horizontal test made with hand-hammered drill. By H. L. Hicks, h 212
  - break causes flood, New York City, n 423
  - Catskill aqueduct, concrete dropped 660 ft. into cars, h 601
  - Cleveland, explosion, 153, 183
    - intake being pushed to completion, n 275
  - concrete lined on Manila Railroad, P. I., *351
  - drawknife pulled by hoist digs tough clay. By D. H. Fleming, h *481
  - Eighteen miles to be driven for New York water supply, n 663
  - elevator shaft, largest, in New York subway, *285
  - English Channel awaits British Parliament's consent, a *645, e 638
  - Lake Union at Seattle presents difficulties. *795
  - New Orleans, applications considered, n 334
  - Rogers Pass opened, n 754
  - Roosevelt drainage, record penetration, 384
  - San Diego, Cal., retimbers, n 651
  - shaft driving, new record at Homansville, Utah, 613
  - skin-friction data on shaft sinking, 108
  - track on top of pipe to remove muck. By A. C. Francis, h *662
  - tubing wound on reel without detaching, h 572
  - Twin Peaks, San Francisco:
    - automatic hoist saves extra man on crew, h *271
    - exposition timber for lining, n 719
    - progresses rapidly, n 647
  - vehicle tube under Hudson River approved, n 814
  - Yadkin River hydroelectric project, e 607, *610
- Turbine: Volume of water measured in test, 103
- Turners Falls Power & Electric Company: Volume of water measured in turbine test, 103
- Turntable, pounding prevented in 100 ft. on Santa Fe system, *390
- Twenty-second Corps of Engineers at Camp Whitman. By Robert K. Tomlin, Jr., e 2, *4

U

- United Engineering Society:
  - columns and trusses to support added stories, *412
  - $100,000 presented by Dr. James Douglas for library, e 639, n *663
- United Pocahontas Coal Company: Viaduct erected without falsework by special steel struts, *618
- U. S. Army:
  - Chicago Sanitary District using too much water, n 754
  - engineer officers' reserve corps, requirements for admission, e 188, 193
  - examination failures, e 187
  - examinations not severe. By W. M. Black, l 210
  - motor trucks used at San Antonio, 628
- U. S. Bureau of Standards:
  - appropriations to come before Congress, e 639
  - calcium chloride hastens seasoning of concrete, a *266
  - clamped splices tested for concrete reinforcement. By E. L. Lasier, a 48
  - mortar and concrete tests completed, e 277, *283
  - stone or concrete testing apparatus, *86
  - strength of clamped splices in concrete reinforcement bars, l 361
  - strength of large-size columns, e 3, *19
  - wire rope tested, *81
- U. S. Chamber of Commerce activities, e 126
- U. S. Coast and Geodetic Survey:
  - auto truck transportation adopted, n 687
  - Pacific Coast to be surveyed, n 565
  - stations marked by new tablets, *470
  - surveying 1000 square miles with the camera, *102
  - wire drag supplements lead line in sounding. a 350
- U. S. Department of Agriculture:
  - Office of Public Roads and Rural Engineering:
    - District engineers appointed, n 725
    - rules prescribed for Federal aid appropriations, a 405
    - reorganized, *615
    - statistics for 1915, a 466
- U. S. Department of Interior:
  - irrigation statistics in annual report, a 705
  - settlers with small farms most successful on reclamation projects, a 705
  - topographic maps made of 1,237,520 sq. mi., a 777
- U. S. Forest Service: Finder locates fires on single observation, n 749
- U. S. Geological Survey:
  - asphalt industry prospered in 1915, n 224
  - iron ore production in 1915, n 42
  - manganese ore production largest since 1901, n 85
  - nitrate claimed to be without value, n 715
  - water in earth's crust, n 719
- U. S. Government:
  - efficiency of, e 66
  - scientific and engineering work, e 789
- U. S. Navy:
  - Bureau of Yards and Docks to discuss contracts at conference, n 755
  - contract documents an important step forward, e 398
  - wireless tower at Canacao, P. I., *84
- U. S. Post Office appropriation bill, e 758, e 788
- U. S. Reclamation Service:
  - coal tar helps maintenance of metal flumes, a 622
  - irrigation, high cost of, e 66
  - project manager's duties defined, a 108
  - settlers with small farms most successful, a 705
  - Shoshone project, report on condition of settlers, e 458, a 463
- U. S. Transportation Company tractor and trailers haul 136 tons of ore in 5½ days, *769
- University of California: Campanile completed, *627
- University of Michigan: Chicago engineering alumni urge advanced research on public problems, e 547, a 552
- Utah:
  - bridges, short-span standard adopted, a 175
  - road 50 miles long costs $26,000, *356
  - stone ford crosses sandy wash, *148
- Utah Power & Light Company: Caissons for pumping station, *98

V

- Van Auken, Kenneth L.: How location affects track maintenance, 292
- Vancouver, B. C.: Concrete and timber cribs for wharf. By R. Mackay Fripp, *111
- Van Scoyoc, H. S.: Should wider joints be provided in concrete roads laid late in season? *465
- Valuation:
  - abandoned property. By R. B. Shepard, Jr., 499

*, illustrated; l, letters; e, editorials; h, hints; n, notes.

- Valuation (continued)
  - Bay State Street Railway estimated original cost doubted by commission, e 338, a 342
  - comments on government's first tentative, e 579
  - depreciation as applied to. By R. B. Shepard, Jr., 202
  - government forces preceded by much work for railroad engineer. By C. W. Stark, *252
  - how government handles roadway parties. By C. W. Stark, *105
  - how handled, e 33
  - pilot engineers' instruction, l 239
  - planimeter and plane-table used. By W. H. Rayner, l 239
  - railroads protest against first two tentative reports, e 729, a 735
  - railroads' side of valuation as handled on Jersey Central. By C. W. Stark, *168
  - what government valuation is doing and how work is handled. By C. W. Stark, *43
  - Rock Island terminal zone in Chicago presents many special problems. By C. W. Stark, e 397, *410
  - tentative, of Atlanta, Birmingham & Atlantic and the Texas Midland, n 575
- Von Mueller, Curt: Slab-and-beam floor without shear stirrups, l *809

W

- Wallace and Tiernan: Chlorination at Camp Whitman, n 100
- Walls:
  - gravity retaining, formulas for width of base. By T. A. Smith, *564
  - retaining, formula corrected, n 769
- Walter, J. H.: Electric power to dredge relocated river channel, *587
- Water power:
  - formulas for calculating flow of water. By A. G. Hillberg, *494
  - hydraulic data recorded on printed post cards, *715
  - hydroelectric:
    - derricks on Yadkin River power project, l *689
    - diversion-weir-canal type for development in sandy soil, *716
    - Lockport, Ill. Two million dollar additions, n 725
    - Sierra & San Francisco Power Company, Strawberry dam construction, *260
    - six hundred foot head produces 2000 hp. in Cuba, *674
    - Tennessee River installation being completed with modern turbines, *377
    - turbines and new power house on Yadkin River project, e 607, *610
  - legislation deferred, e 367
  - materials at hand used in constructing concrete dam in Maine, *280
  - measured by volume in large turbine test, 103
  - Niagara Falls:
    - fuller use of water recommended, a 204
    - plan to develop 2,000,000 hp., n 213
    - situation reviewed, 152
    - will divert 1400 additional second-feet, n 711, n 813
  - Quebec, Canada, encourages, 42
  - reservoir seepage, Cedar River, Seattle, e 217, a 228
  - riparian rights settled by arbitration after suit. By Frank P. McKibben, 323
  - solids a problem at power plants in northwest. By John Harisberger, *290
  - standpipes, riveted joint, economical type for steel pipes. By Frank H. Carter, *467
  - state control suggested at Pennsylvania conference, n 604
  - stilling pond, inclosed, Keechelus reservoir, Wash., *475, *534
  - stream flow, not rainfall, best criterion for yield, a 103
    - By James P. Wells, l 330
  - surge-tank problems solved by new methods. By A. G. Hillberg, *763
  - turbines, modern, used to complete Tennessee River installation, *377
  - wheel parts worn. By V. W. Killick, *466
- Waterproofing, integral compounds favored, n 618
- Water purification:
  - algæ growth reduced and moss removed from Marston Lake near Denver, *317
  - alum process, improved, used by Omaha coagulant plant, *435
  - chlorination:
    - disinfection and activated sludge for clarification. By William R. Copeland, l 359
    - in sewage treatment, e 278
  - copper-sulphate treatment of Denver's supply, *644
  - filtration:
    - Cleveland, Ohio, worthless concrete responsible for failure, *151
    - Erie, Pa., has low operating cost, n 239
    - operation improved at Chillicothe, Mo., by special devices. By E. E. Harper, *320
- Water purification, filtration (continued)
    - period of mechanical service increased 250 per cent, n *643
    - recommended for Sacramento, Cal., a 403
    - reservoir to be built inside old one in Cleveland, *702
    - St. Louis plant operation, a 532
  - patent decision and claims of Ira H. Jewell, e 577, a 583
  - turbidity and color removal from water, n 574
  - ultra-violet ray purifies water at cement plant, *200
- Water Supply:
  - advance payment requested for metered water, n 406
  - aqueduct cleaning, l 24
  - B. coli eliminated from Chicago water, n 556
  - Camp Whitman, pumps delivered quickly. By S. B. Whinery, l 66
  - Charleston, S. C.: Quick repair of dam, 151
  - concrete-slab cover for 19-mile ditch. By A. C. Francis, *718
  - conduit, masonry, St. Louis, tested for carrying capacity, a 450
  - Croton watershed corrected, a 441
  - department organization, ideal, a *323
  - emergency gangs find weak spots and keep office advised of needed repairs. By George H. Finneran, a 386
  - fire-service plans proposed for Boston, a 438
  - fountains gain popularity in Portland, Ore., *494
  - Hetch Hetchy:
    - plan announced, 29
    - railway hauls construction material, a 138
  - Indiana Supreme Court decision on pipe connection, n 184
  - Indianapolis Company appraisal completed, 183
  - insurance rates call for grading of cities, a 389
  - intake and pumping station combined for Standard Oil refinery, *230
  - is present leakage satisfactory? e 369
  - laboratory on wheels makes local tests. By J. H. O'Neill, *319
  - laws, inconsistencies in. By C. A. Emerson, Jr., l 420
  - mechanical filters operation at Chillicothe, Mo., improved by special devices. By E. E. Harper, *320
  - meters:
    - equipment devised for testing quickly in field. By W. T. McClenahan, *315
    - regulation of sale of water proposed at Philadelphia, e 457
    - should be installed at Tonawanda, N. Y., e 458
    - standardized, e 367
  - moss removed from lake by wire rope, *317
  - Omaha:
    - basin constructed by day labor using new special devices. By Homer V. Knouse, *527
    - coagulant plant uses improved alum process, *435
  - Oregon City, Ore. Bids asked before bonds were voted. By H. A. Rands, e 697, *700
  - pipe-joint leakage, correction, n 712
  - pipe-joint leakage data wanted to check $4,000,000 annual loss, e 608, a 616
  - pipe leakage warrants investigation. By F. A. Barbour, a 385
  - pipe, practice, opinions on, summarized, a 387
  - pumping plant kinks and operating costs, *201
  - rates secondary to quality of water, e 308
  - reservoir capacity increased and construction cost decreased by hydraulic sluicing, at Athens, Ga., *712
  - reservoir seepage, Cedar River, Seattle, e 217
  - Rochester, N. Y.: Steel pipe recommended, a 40
  - Sacramento, Cal.: Engineer's report recommends using water near at hand, e 397, a 403
  - Salt Lake City increased by new dam, *314
  - San Diego, Cal.: Arched gravity dams to be built, *195
  - San Francisco: Calaveras dam constructed by hydraulic method. By G. A. Elliott, *220
  - Seattle, Wash.:
    - sealing Cedar River reservoir, a 228
    - tunnel under Lake Union presents difficulties, *795
  - seepage through pipe traced by using fluorescein, n 380
  - subsurface pump house, New York City, e 95
  - waste prevention plans at Chicago, e 667
  - wells protected from flood damage by wedges. By A. C. Francis, *773
  - Winnipeg aqueduct cracks repaired within original cost estimate, a *476
  - Youngstown, Ohio: Careful construction to make dam watertight, *407
- Water terminals: Bayonne, N. J., $7,000,000 plan submitted, n 633
- Waterways:
  - canals:
    - breaks in New York barge canal quickly repaired, a 384
    - New York Barge Canal in partial operation, e 517, *520
- Waterways (continued)
  - Copenhagen, Denmark: Caissons floated to place form walls of new basin. By O. Blume, *207
  - rivers and harbors:
    - bill signed by President, n 184
    - cofferdam of pocket type successful for lock on Cape Fear, *325
  - Welland Canal contractors' methods, *490
  - White River diverted to Tacoma, *587
  - sanitary code formulated by committee of American Public Health Association, e 578, a 582
- Washington:
  - bank protection, four types, *677
  - Washington County diverts flow of White River to Tacoma, *587
  - West Okanogan irrigation project completed in a year. By J. C. Stevens, e 637, *640
- Watson, Wilbur J.: Sand boxes to lower arch centers, l 779
- Watts, Harry: How shall he melt lead from joints of water line? l 779
- Weatherford, J. H.:
  - abandoned bridge difficult to destroy, *132
  - corroded metal found in old truss bridge, *464
  - traveler moving in two directions builds channel improvement, h *242
- Weber, Carl: New methods for building ships of concrete, l 779
- Welding:
  - electric, possibilities, e 549
  - will it supplant riveting? By G. C. Hinckley, 524
- Welland Ship Canal: Contractors' methods present interesting variations, *490
- Wells, James P.: Stream flow, not rainfall, best criterion for yield? l 330
- Western & Atlantic Railroad: Asbestos sheathing protects steel overhead bridge, *656
- Western Pacific Railway: Reorganization, 27
- Western Society of Engineers:
  - cost comparison of sewage treatment. By Harrison P. Eddy, a 557
  - safe bridge design depends on validity of assumptions, a 506
- West Virginia: Bridge damage caused by flood, 256
- Wharves and docks:
  - hydrated-lime mortar increases strength of brick piers, n 165
  - mechanical devices needed. By J. W. Swaren, *176
  - piershed and warehouse proposed at Camden, N. J., *772
  - piles driven rapidly at New Richmond, Ohio, h *25
  - tidal lock with special safety devices at Chemulpo, Korea. By Henry Goldmark, *684
- Wheat, P. E. Moss: Falsework complicates setting of pins for large wireless tower, *84
- Whinery, Samuel:
  - bitumen-testing needles with constant friction, *258
  - tests needed to verify concrete road crack theory, *529
- White, David H.: Bitulithic pavement laid over gravel road, *17
- Whited, Willis: Experts overnight, l 689
- Whitney, C. S.: Theory of displacements applied to analysis of suspension bridges, *234
- Whitney, H. T.: Letter on hydrated lime, 764
- Whittemore, Don Juan: Obituary, *124
- Wig, R. J.: New cement specification, e 65, 71
- Wigmore, Cyril: Construct dams by hydraulic method with minimum of cost, *328
- Willis, W. N.: Undermined by seepage flow, Lake Toxaway dam fails, *273
- Winnipeg aqueduct repaired within original cost estimate, a *476
- Wire, barbed, helps build river embankments in California, *707
- Wolf, Albert M.:
  - abandoned bridge difficult to destroy, l 269
  - justice to the contractor and the engineer, l 359
- Wray, H. G.: Drainage drifts have apparently stopped slides at hillside grade separation, *144
- Wright, Joseph: Cumulative counterweights feature spillway crest, *286

Y

- Yadkin River power project:
  - derricks, l *689
  - modern turbines and new power house, e 607, *610
- Yarnall, D. Robert: Engineers and the new nationalism, l 210
- Young, George S.: Boiler loaded on two trailers for 130-mile trip, h *481
- Younger, John: Trailers with motor trucks, l 23

Z

- Zull, C. Louis: Rigid guide frame holds wood sheet piles, h *781

*, illustrated; l, letters; e, editorials; h, hints; n, notes.